



VINÇOTTE nv

Jan Olieslagerslaan 35 • 1800 Vilvoorde • België
tel: +32 2 674 57 11 • general.management@vincotte.be

- Onze gegevens
Verslagnr.: 61107691/01
Contractref. : 100712522/2240453
Contact: ing. Kris Geeroms
- Uw gegevens
Ref.: /
Contact: Paul Hermans

VME LA MAISON BLANCHE

p/a ERA laPlage
Distellaan 34
8434 WESTENDE



Res. La Maison Blanche
Priorijlaan 34/Zeedijk 365
8434 Westende

BETONONDERZOEK VAN ENKELE TERRASSEN AAN DE ACHTERGEVEL

Het verslag mag enkel in zijn geheel worden gekopieerd. Het kopiëren is enkel toegelaten na een voorafgaand akkoord van Vinçotte n.v.
Dit verslag telt 25 bladzijden (zonder bijlagen).

ing. Kris Geeroms
Lead Contract Engineer
Civil Works
Building

ir. Patrick Zandbergen
Teamlead
Civil Works
Building

Bijlagen: 1. Fiches; 2. Laboverslag.
Distributie: VME La Maison Blanche.

VERSLAGNR. : 61107691/01

7 oktober 2022

0 INHOUD

| | | |
|-----|---|----|
| 0 | INHOUD..... | 2 |
| 1 | DOEL VAN DE OPDRACHT | 3 |
| 2 | ONDERZOEKSMETHODE | 3 |
| 3 | DOCUMENTEN | 3 |
| 4 | VASTSTELLINGEN | 4 |
| 5 | PROEFRESULTATEN..... | 4 |
| 5.1 | Pachometerproeven en carbonatatie | 4 |
| 5.2 | Bepaling van het chloridengehalte | 18 |
| 6 | ANALYSE EN BESLUITEN | 19 |

1 DOEL VAN DE OPDRACHT

Op 13 september 2022 hebben we een betononderzoek uitgevoerd van enkele terrassen aan de achtergevel van Residentie La Maison Blanche, gelegen aan de Priorijlaan 34 - Zeedijk 365 in 8434 Westende teneinde de algemene staat van de betonnen elementen te beoordelen, mogelijke schade vast te stellen, de mogelijke oorzaken ervan te bepalen en enkele herstelprincipes voor te stellen indien nodig.

Ons onderzoek behelst een visuele inspectie van de elementen aangevuld met enkele basisproeven.

2 ONDERZOEKSMETHODE

De visuele inspectie en de proeven werden uitgevoerd van op de terrassen waartoe ons toegang werd verleend (App. 3A, 3D, 5A, 5D, 7A en 7D).

De betondekking op de wapening werd bepaald d.m.v. een pachometer (Proceq Profometer).

Er werden 3 betonkernen diameter 50mm en 3 boorstofmonsters ontnomen ter bepaling van het chloridegehalte.

De carbonatatie diepte werd bepaald door het boren van gaten in het element. Tijdens het boren wordt het boorstof opgevangen op een doekje dat gedrenkt werd in fenolftaleïne. Wanneer er een verkleuring optreedt wordt het niet-gecarbonateerde beton bereikt. De diepte van het boorgat komt dan ongeveer overeen met de diepte van het carbonatatiefront.

Op de geboorde betonkernen werd eveneens de carbonatatie diepte bepaald door het besprenkelen van de kern met fenolftaleïne.

3 DOCUMENTEN

Voor het uitvoeren van onze opdracht hebben we ons o.a. gebaseerd op volgende documenten:


- Technische Voorlichting 231 (WTTCB, september 2007): "Herstelling en bescherming van beton";
- Normenreeks NBN EN 1504: "Producten en systemen voor de bescherming en herstelling van betonconstructies. Definities, eisen, kwaliteitsborging en conformiteitsbeoordeling."

4 VASTSTELLINGEN


De verschillende vaststellingen zijn weergegeven in de fiches in bijlage 1.

5 PROEFRESULTATEN

5.1 PACHOMETERPROEVEN EN CARBONATATIE

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|--|--|-------------------------------------|-------|----------|-----------|----------|-----------|------|-------------------|---------------------|-------------|----|---|---------|---|--------|-----------|--------------------------|-------------------------------|-----------------------------|------------|------|---------------------|---------------------|--|---------------|-------------------|------------------|--|--------------|-----------------|----------------|--|--------------|------------------------------|-----------------------------|--|--------------|-----------------|-----------------|--|--------------|------------------|-------------------|--|--------------|-----------------|--|--|--------------|-----------------|-----------------|--|--------------|-------------------------------|----|--|--------------|-------------------------------|----|--|--------------|--|--------------------------|--|--------------|-------------------|--------------------------|--|--|---------------|-------------------------------------|--|--|--------------------------|----|--|--|---------------|--------------------------|--|--|--------------------------|---|--|--|--------------|--------------------------|--|--|-------------------------|---|--|--|-------------------|--------------------------------|--|--|-----------------------|---|--|--|------------------|---|--|--|-----------------|---|--|--|----------------|---|--|--|-----------|------------|--|----|
| 1.03 | <table border="1"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche</td> <td>09/13/2022 11:11 AM</td> <td>Single-Line</td> <td>11</td> <td>1</td> <td>1.526 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> <p>View: Single-Line Curve: Cover</p>  <table border="1"> <thead> <tr> <th>Snapshots</th> <th>[Distance(m) Cover(mm)]</th> <th>Statistics of Covers [Normal]</th> <th>Statistics of Rebar Spacing</th> </tr> </thead> <tbody> <tr> <td>(mm mm mm)</td> <td>L: 1</td> <td>No. of Readings: 11</td> <td>No. of Readings: 10</td> </tr> <tr> <td></td> <td>[-0.030 23.6]</td> <td>Median (mm): 21.7</td> <td>Median (mm): 151</td> </tr> <tr> <td></td> <td>[0.055 17.7]</td> <td>Mean (mm): 21.7</td> <td>Mean (mm): 145</td> </tr> <tr> <td></td> <td>[0.213 19.7]</td> <td>Standard Deviation (mm): 1.9</td> <td>Standard Deviation (mm): 21</td> </tr> <tr> <td></td> <td>[0.363 21.6]</td> <td>Lowest (mm): 18</td> <td>Lowest (mm): 85</td> </tr> <tr> <td></td> <td>[0.527 23.4]</td> <td>Highest (mm): 25</td> <td>Highest (mm): 165</td> </tr> <tr> <td></td> <td>[0.673 24.8]</td> <td colspan="2">Settings</td> </tr> <tr> <td></td> <td>[0.808 22.8]</td> <td>Measuring Range</td> <td>Standard (None)</td> </tr> <tr> <td></td> <td>[0.954 21.7]</td> <td>Rebar Diameter Ø1 Scan-X (mm)</td> <td>10</td> </tr> <tr> <td></td> <td>[1.106 21.1]</td> <td>Rebar Diameter Ø2 Scan-Y (mm)</td> <td>10</td> </tr> <tr> <td></td> <td>[1.265 22.3]</td> <td>Artificial Intelligence / Neighboring Rebar Correction</td> <td><input type="checkbox"/></td> </tr> <tr> <td></td> <td>[1.420 20.4]</td> <td>Cover Calibration</td> <td><input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Minimum Cover</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Minimum Cover Value (mm)</td> <td>32</td> </tr> <tr> <td></td> <td></td> <td>Maximum Cover</td> <td><input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Maximum Cover Value (mm)</td> <td>-</td> </tr> <tr> <td></td> <td></td> <td>Cover Offset</td> <td><input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Cover Offset Value (mm)</td> <td>-</td> </tr> <tr> <td></td> <td></td> <td>Cover Calculation</td> <td>Conservative (Underestimation)</td> </tr> <tr> <td></td> <td></td> <td>Align Rebar Positions</td> <td>-</td> </tr> <tr> <td></td> <td></td> <td>Line Height (cm)</td> <td>-</td> </tr> <tr> <td></td> <td></td> <td>Grid Width (cm)</td> <td>-</td> </tr> <tr> <td></td> <td></td> <td>Probe Position</td> <td>-</td> </tr> <tr> <td></td> <td></td> <td>Scan Cart</td> <td>Ruggedized</td> </tr> </tbody> </table> <p>Comment: 1.03 Dwars</p> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche | 09/13/2022 11:11 AM | Single-Line | 11 | 1 | 1.526 m | 0 | Metric | Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | (mm mm mm) | L: 1 | No. of Readings: 11 | No. of Readings: 10 | | [-0.030 23.6] | Median (mm): 21.7 | Median (mm): 151 | | [0.055 17.7] | Mean (mm): 21.7 | Mean (mm): 145 | | [0.213 19.7] | Standard Deviation (mm): 1.9 | Standard Deviation (mm): 21 | | [0.363 21.6] | Lowest (mm): 18 | Lowest (mm): 85 | | [0.527 23.4] | Highest (mm): 25 | Highest (mm): 165 | | [0.673 24.8] | Settings | | | [0.808 22.8] | Measuring Range | Standard (None) | | [0.954 21.7] | Rebar Diameter Ø1 Scan-X (mm) | 10 | | [1.106 21.1] | Rebar Diameter Ø2 Scan-Y (mm) | 10 | | [1.265 22.3] | Artificial Intelligence / Neighboring Rebar Correction | <input type="checkbox"/> | | [1.420 20.4] | Cover Calibration | <input type="checkbox"/> | | | Minimum Cover | <input checked="" type="checkbox"/> | | | Minimum Cover Value (mm) | 32 | | | Maximum Cover | <input type="checkbox"/> | | | Maximum Cover Value (mm) | - | | | Cover Offset | <input type="checkbox"/> | | | Cover Offset Value (mm) | - | | | Cover Calculation | Conservative (Underestimation) | | | Align Rebar Positions | - | | | Line Height (cm) | - | | | Grid Width (cm) | - | | | Probe Position | - | | | Scan Cart | Ruggedized | App. 7A – onderzijde bovenliggend terras | 32 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche | 09/13/2022 11:11 AM | Single-Line | 11 | 1 | 1.526 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (mm mm mm) | L: 1 | No. of Readings: 11 | No. of Readings: 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-0.030 23.6] | Median (mm): 21.7 | Median (mm): 151 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.055 17.7] | Mean (mm): 21.7 | Mean (mm): 145 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.213 19.7] | Standard Deviation (mm): 1.9 | Standard Deviation (mm): 21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.363 21.6] | Lowest (mm): 18 | Lowest (mm): 85 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.527 23.4] | Highest (mm): 25 | Highest (mm): 165 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.673 24.8] | Settings | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.808 22.8] | Measuring Range | Standard (None) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.954 21.7] | Rebar Diameter Ø1 Scan-X (mm) | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.106 21.1] | Rebar Diameter Ø2 Scan-Y (mm) | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.265 22.3] | Artificial Intelligence / Neighboring Rebar Correction | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.420 20.4] | Cover Calibration | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Minimum Cover | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Minimum Cover Value (mm) | 32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Maximum Cover | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Maximum Cover Value (mm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Cover Offset | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Cover Offset Value (mm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Cover Calculation | Conservative (Underestimation) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Align Rebar Positions | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Line Height (cm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Grid Width (cm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Probe Position | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Scan Cart | Ruggedized | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|-------------------------------|-----------------------------|-------|----------|-----------|----------|-----------|------|-----------------------|---------------------|-------------|---|---|---------|---|--------|-----------|---------------------------|-------------------------------|-----------------------------|------------|------|--------------------|--------------------|--|--------------|-------------------|------------------|--|--------------|-----------------|----------------|--|--------------|------------------------------|-----------------------------|--|--------------|-----------------|-----------------|--|--------------|------------------|-------------------|--|--------------|--|--|--|----|
| 1.03 | <table border="1"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche-001</td> <td>09/13/2022 11:12 AM</td> <td>Single-Line</td> <td>6</td> <td>1</td> <td>0.969 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> <p>View: Single-Line Curve: Cover</p> <table border="1"> <thead> <tr> <th>Snapshots</th> <th>[Distance(m) Cover(mm)]</th> <th>Statistics of Covers [Normal]</th> <th>Statistics of Rebar Spacing</th> </tr> </thead> <tbody> <tr> <td>(mm mm mm)</td> <td>L: 1</td> <td>No. of Readings: 6</td> <td>No. of Readings: 5</td> </tr> <tr> <td></td> <td>[0.034 36.9]</td> <td>Median (mm): 26.5</td> <td>Median (mm): 143</td> </tr> <tr> <td></td> <td>[0.174 31.3]</td> <td>Mean (mm): 26.8</td> <td>Mean (mm): 174</td> </tr> <tr> <td></td> <td>[0.414 29.3]</td> <td>Standard Deviation (mm): 6.7</td> <td>Standard Deviation (mm): 64</td> </tr> <tr> <td></td> <td>[0.670 23.6]</td> <td>Lowest (mm): 16</td> <td>Lowest (mm): 88</td> </tr> <tr> <td></td> <td>[0.814 23.3]</td> <td>Highest (mm): 37</td> <td>Highest (mm): 256</td> </tr> <tr> <td></td> <td>[0.902 16.1]</td> <td></td> <td></td> </tr> </tbody> </table> <p>Settings</p> <ul style="list-style-type: none"> Measuring Range: Standard (None) Rebar Diameter Ø1 Scan-X (mm): 10 Rebar Diameter Ø2 Scan-Y (mm): 10 Artificial Intelligence / Neighboring Rebar Correction: <input type="checkbox"/> Cover Calibration: <input type="checkbox"/> Minimum Cover: <input checked="" type="checkbox"/> Minimum Cover Value (mm): 32 Maximum Cover: <input type="checkbox"/> Maximum Cover Value (mm): - Cover Offset: <input type="checkbox"/> Cover Offset Value (mm): - Cover Calculation: Conservative (Underestimation) Align Rebar Positions: - Line Height (cm): - Grid Width (cm): - Probe Position: - Scan Cart: Ruggedized <p>Comment 1.03 Langs</p> <p>Device Info</p> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-001 | 09/13/2022 11:12 AM | Single-Line | 6 | 1 | 0.969 m | 0 | Metric | Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | (mm mm mm) | L: 1 | No. of Readings: 6 | No. of Readings: 5 | | [0.034 36.9] | Median (mm): 26.5 | Median (mm): 143 | | [0.174 31.3] | Mean (mm): 26.8 | Mean (mm): 174 | | [0.414 29.3] | Standard Deviation (mm): 6.7 | Standard Deviation (mm): 64 | | [0.670 23.6] | Lowest (mm): 16 | Lowest (mm): 88 | | [0.814 23.3] | Highest (mm): 37 | Highest (mm): 256 | | [0.902 16.1] | | | App. 7A – onderzijde bovenliggend terras | 32 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-001 | 09/13/2022 11:12 AM | Single-Line | 6 | 1 | 0.969 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (mm mm mm) | L: 1 | No. of Readings: 6 | No. of Readings: 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.034 36.9] | Median (mm): 26.5 | Median (mm): 143 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.174 31.3] | Mean (mm): 26.8 | Mean (mm): 174 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.414 29.3] | Standard Deviation (mm): 6.7 | Standard Deviation (mm): 64 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.670 23.6] | Lowest (mm): 16 | Lowest (mm): 88 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.814 23.3] | Highest (mm): 37 | Highest (mm): 256 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.902 16.1] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|-------|----------|-----------|----------|-----------|------|-----------------------|---------------------|-------------|---|---|---------|---|--------|-----------|---------------------------|-------------------------------|-----------------------------|--|----------------------|---|---|--------------------|-------|
| 1.04 | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche-002</td> <td>09/13/2022 11:13 AM</td> <td>Single-Line</td> <td>1</td> <td>1</td> <td>1.136 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> <p>View: Single-Line Curve: Cover</p>  <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Snapshots</th> <th>[Distance(m) Cover(mm)]</th> <th>Statistics of Covers [Normal]</th> <th>Statistics of Rebar Spacing</th> </tr> </thead> <tbody> <tr> <td></td> <td>L: 1 [0.695 87.3]</td> <td>No. of Readings: 1 Median (mm): 87.3 Mean (mm): 87.3 Standard Deviation (mm): 0.0 Lowest (mm): 87 Highest (mm): 87</td> <td>No. of Readings: 0 Median (mm): 0 Mean (mm): 0 Standard Deviation (mm): 0 Lowest (mm): 0 Highest (mm): 0</td> </tr> </tbody> </table> <p>Comment 1.04 Beugels</p> <p>Settings</p> <ul style="list-style-type: none"> Measuring Range: Standard (None) Rebar Diameter Ø1 Scan-X (mm): 10 Rebar Diameter Ø2 Scan-Y (mm): 10 Artificial Intelligence / Neighboring Rebar Correction: <input type="checkbox"/> Cover Calibration: <input type="checkbox"/> Minimum Cover: <input checked="" type="checkbox"/> Minimum Cover Value (mm): 51 Maximum Cover: <input type="checkbox"/> Maximum Cover Value (mm): - Cover Offset: <input type="checkbox"/> Cover Offset Value (mm): - Cover Calculation: Conservative (Underestimation) Align Rebar Positions: - Line Height (cm): - Grid Width (cm): - Probe Position: <input checked="" type="checkbox"/> Scan Cart: Ruggedized | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-002 | 09/13/2022 11:13 AM | Single-Line | 1 | 1 | 1.136 m | 0 | Metric | Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | | L: 1 [0.695 87.3] | No. of Readings: 1 Median (mm): 87.3 Mean (mm): 87.3 Standard Deviation (mm): 0.0 Lowest (mm): 87 Highest (mm): 87 | No. of Readings: 0 Median (mm): 0 Mean (mm): 0 Standard Deviation (mm): 0 Lowest (mm): 0 Highest (mm): 0 | App. 7A – Linteeel | 47/51 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-002 | 09/13/2022 11:13 AM | Single-Line | 1 | 1 | 1.136 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | |
| Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | |
| | L: 1 [0.695 87.3] | No. of Readings: 1 Median (mm): 87.3 Mean (mm): 87.3 Standard Deviation (mm): 0.0 Lowest (mm): 87 Highest (mm): 87 | No. of Readings: 0 Median (mm): 0 Mean (mm): 0 Standard Deviation (mm): 0 Lowest (mm): 0 Highest (mm): 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|-----------------------------|-------------|-------|----------|-----------|----------|-----------|------|-----------------------|---------------------|-------------|---|---|---------|---|--------|-------------------------------|--|-----------------------------|--|-----------------|---|-----------------|---|-------------|-----|-------------|---|-----------|-----|-----------|---|-------------------------|-----|-------------------------|---|-------------|---|-------------|---|--------------|---|--------------|---|-----------------|-----------------|-------------------------------|----|-------------------------------|----|--|--------------------------|-------------------|--------------------------|---------------|-------------------------------------|--------------------------|----|---------------|--------------------------|--------------------------|---|--------------|--------------------------|-------------------------|---|-------------------|--------------------------------|-----------------------|---|------------------|---|-----------------|---|----------------|---|-----------|------------|-------------------|-------|
| 1.04 | <table border="1"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche-003</td> <td>09/13/2022 11:14 AM</td> <td>Single-Line</td> <td>0</td> <td>1</td> <td>0.191 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> <p>View: Single-Line Curve: Cover</p> <table border="1"> <thead> <tr> <th colspan="2">Statistics of Covers [Normal]</th> <th colspan="2">Statistics of Rebar Spacing</th> </tr> </thead> <tbody> <tr> <td>No. of Readings</td> <td>0</td> <td>No. of Readings</td> <td>0</td> </tr> <tr> <td>Median (mm)</td> <td>0.0</td> <td>Median (mm)</td> <td>0</td> </tr> <tr> <td>Mean (mm)</td> <td>0.0</td> <td>Mean (mm)</td> <td>0</td> </tr> <tr> <td>Standard Deviation (mm)</td> <td>0.0</td> <td>Standard Deviation (mm)</td> <td>0</td> </tr> <tr> <td>Lowest (mm)</td> <td>0</td> <td>Lowest (mm)</td> <td>0</td> </tr> <tr> <td>Highest (mm)</td> <td>0</td> <td>Highest (mm)</td> <td>0</td> </tr> </tbody> </table> <p>Settings</p> <table border="1"> <tbody> <tr> <td>Measuring Range</td> <td>Standard (None)</td> </tr> <tr> <td>Rebar Diameter Ø1 Scan-X (mm)</td> <td>10</td> </tr> <tr> <td>Rebar Diameter Ø2 Scan-Y (mm)</td> <td>10</td> </tr> <tr> <td>Artificial Intelligence / Neighboring Rebar Correction</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Cover Calibration</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Minimum Cover</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Minimum Cover Value (mm)</td> <td>51</td> </tr> <tr> <td>Maximum Cover</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Maximum Cover Value (mm)</td> <td>-</td> </tr> <tr> <td>Cover Offset</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Cover Offset Value (mm)</td> <td>-</td> </tr> <tr> <td>Cover Calculation</td> <td>Conservative (Underestimation)</td> </tr> <tr> <td>Align Rebar Positions</td> <td>-</td> </tr> <tr> <td>Line Height (cm)</td> <td>-</td> </tr> <tr> <td>Grid Width (cm)</td> <td>-</td> </tr> <tr> <td>Probe Position</td> <td>◇</td> </tr> <tr> <td>Scan Cart</td> <td>Ruggedized</td> </tr> </tbody> </table> <p>Snapshots [Distance(m) Cover(mm)]</p> <p>Comment 1.04 Langs</p> <p>Device Info</p> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-003 | 09/13/2022 11:14 AM | Single-Line | 0 | 1 | 0.191 m | 0 | Metric | Statistics of Covers [Normal] | | Statistics of Rebar Spacing | | No. of Readings | 0 | No. of Readings | 0 | Median (mm) | 0.0 | Median (mm) | 0 | Mean (mm) | 0.0 | Mean (mm) | 0 | Standard Deviation (mm) | 0.0 | Standard Deviation (mm) | 0 | Lowest (mm) | 0 | Lowest (mm) | 0 | Highest (mm) | 0 | Highest (mm) | 0 | Measuring Range | Standard (None) | Rebar Diameter Ø1 Scan-X (mm) | 10 | Rebar Diameter Ø2 Scan-Y (mm) | 10 | Artificial Intelligence / Neighboring Rebar Correction | <input type="checkbox"/> | Cover Calibration | <input type="checkbox"/> | Minimum Cover | <input checked="" type="checkbox"/> | Minimum Cover Value (mm) | 51 | Maximum Cover | <input type="checkbox"/> | Maximum Cover Value (mm) | - | Cover Offset | <input type="checkbox"/> | Cover Offset Value (mm) | - | Cover Calculation | Conservative (Underestimation) | Align Rebar Positions | - | Line Height (cm) | - | Grid Width (cm) | - | Probe Position | ◇ | Scan Cart | Ruggedized | App. 7A – Linteel | 47/51 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-003 | 09/13/2022 11:14 AM | Single-Line | 0 | 1 | 0.191 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Statistics of Covers [Normal] | | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| No. of Readings | 0 | No. of Readings | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Median (mm) | 0.0 | Median (mm) | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mean (mm) | 0.0 | Mean (mm) | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Standard Deviation (mm) | 0.0 | Standard Deviation (mm) | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lowest (mm) | 0 | Lowest (mm) | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Highest (mm) | 0 | Highest (mm) | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Measuring Range | Standard (None) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rebar Diameter Ø1 Scan-X (mm) | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rebar Diameter Ø2 Scan-Y (mm) | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Artificial Intelligence / Neighboring Rebar Correction | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cover Calibration | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Minimum Cover | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Minimum Cover Value (mm) | 51 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Maximum Cover | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Maximum Cover Value (mm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cover Offset | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cover Offset Value (mm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cover Calculation | Conservative (Underestimation) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Align Rebar Positions | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Line Height (cm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Grid Width (cm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Probe Position | ◇ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Scan Cart | Ruggedized | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|--|-------------|-------------------------------------|----------|-----------|----------|-----------|------|-----------------------|---------------------|-------------|----|---|---------|---|--------|-----------|--|-------------------------------|--|-----------------------------|--|------------|--------------------------|--|--|--|--|------|-----------|-----------------|----|-----------------|----|--|-------------------------|-------------|------|-------------|-----|--|------------------------|-----------|------|-----------|-----|--|------------------------|-------------------------|------|-------------------------|----|--|------------------------|-------------|----|-------------|----|--|------------------------|--------------|----|--------------|-----|--|------------------------|-----------------|--|--|--|--|------------------------|-----------------|--|-----------------|--|--|------------------------|-------------------------------|--|----|--|--|------------------------|-------------------------------|--|----|--|--|------------------------|--|--|--------------------------|--|--|--------------|-------------------|--|--------------------------|--|--|--------------|---------------|--|-------------------------------------|--|--|--------------|--------------------------|--|----|--|--|--------------|---------------|--|--------------------------|--|--|--------------|--------------------------|--|---|--|--|--------------|--------------|--|--------------------------|--|--|--------------|-------------------------|--|---|--|--|--------------|-------------------|--|--------------------------------|--|--|--------------|-----------------------|--|---|--|--|--|------------------|--|---|--|--|--|-----------------|--|---|--|--|--|----------------|--|---|--|--|--|-----------|--|------------|--|--|-------|
| 1.08 | <div style="border: 1px solid #ccc; padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche-003</td> <td>09/13/2022 11:53 AM</td> <td>Single-Line</td> <td>30</td> <td>1</td> <td>3.888 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> <p>View: Single-Line Curve: Cover</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th colspan="2">Snapshots</th> <th colspan="2">Statistics of Covers [Normal]</th> <th colspan="2">Statistics of Rebar Spacing</th> </tr> <tr> <th>(mm mm mm)</th> <th>[Distance(m) Cover(mm)]</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>L: 1</td> <td>[2.538 5]</td> <td>No. of Readings</td> <td>30</td> <td>No. of Readings</td> <td>29</td> </tr> <tr> <td></td> <td>[-0.015 17.0] [2.609 2]</td> <td>Median (mm)</td> <td>22.4</td> <td>Median (mm)</td> <td>149</td> </tr> <tr> <td></td> <td>[0.055 18.2] [2.758 2]</td> <td>Mean (mm)</td> <td>24.9</td> <td>Mean (mm)</td> <td>131</td> </tr> <tr> <td></td> <td>[0.204 22.2] [2.913 2]</td> <td>Standard Deviation (mm)</td> <td>10.5</td> <td>Standard Deviation (mm)</td> <td>36</td> </tr> <tr> <td></td> <td>[0.353 23.4] [3.060 2]</td> <td>Lowest (mm)</td> <td>16</td> <td>Lowest (mm)</td> <td>64</td> </tr> <tr> <td></td> <td>[0.509 24.2] [3.221 2]</td> <td>Highest (mm)</td> <td>60</td> <td>Highest (mm)</td> <td>174</td> </tr> <tr> <td></td> <td>[0.655 24.1] [3.358 2]</td> <td colspan="4">Settings</td> </tr> <tr> <td></td> <td>[0.808 22.6] [3.523 2]</td> <td>Measuring Range</td> <td></td> <td>Standard (None)</td> <td></td> </tr> <tr> <td></td> <td>[0.945 20.2] [3.587 5]</td> <td>Rebar Diameter Ø1 Scan-X (mm)</td> <td></td> <td>10</td> <td></td> </tr> <tr> <td></td> <td>[1.118 20.7] [3.657 2]</td> <td>Rebar Diameter Ø2 Scan-Y (mm)</td> <td></td> <td>10</td> <td></td> </tr> <tr> <td></td> <td>[1.283 20.9] [3.788 2]</td> <td>Artificial Intelligence / Neighboring Rebar Correction</td> <td></td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td>[1.414 16.5]</td> <td>Cover Calibration</td> <td></td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td>[1.569 16.5]</td> <td>Minimum Cover</td> <td></td> <td><input checked="" type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td>[1.697 16.3]</td> <td>Minimum Cover Value (mm)</td> <td></td> <td>27</td> <td></td> </tr> <tr> <td></td> <td>[1.853 16.8]</td> <td>Maximum Cover</td> <td></td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td>[2.020 19.0]</td> <td>Maximum Cover Value (mm)</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td></td> <td>[2.173 20.8]</td> <td>Cover Offset</td> <td></td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td>[2.325 21.9]</td> <td>Cover Offset Value (mm)</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td></td> <td>[2.392 49.7]</td> <td>Cover Calculation</td> <td></td> <td>Conservative (Underestimation)</td> <td></td> </tr> <tr> <td></td> <td>[2.471 21.8]</td> <td>Align Rebar Positions</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Line Height (cm)</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Grid Width (cm)</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Probe Position</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Scan Cart</td> <td></td> <td>Ruggedized</td> <td></td> </tr> </tbody> </table> <p>Comment 1.08 Dwars</p> <p style="text-align: right; font-size: small;">Device Info</p> </div> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-003 | 09/13/2022 11:53 AM | Single-Line | 30 | 1 | 3.888 m | 0 | Metric | Snapshots | | Statistics of Covers [Normal] | | Statistics of Rebar Spacing | | (mm mm mm) | [Distance(m) Cover(mm)] | | | | | L: 1 | [2.538 5] | No. of Readings | 30 | No. of Readings | 29 | | [-0.015 17.0] [2.609 2] | Median (mm) | 22.4 | Median (mm) | 149 | | [0.055 18.2] [2.758 2] | Mean (mm) | 24.9 | Mean (mm) | 131 | | [0.204 22.2] [2.913 2] | Standard Deviation (mm) | 10.5 | Standard Deviation (mm) | 36 | | [0.353 23.4] [3.060 2] | Lowest (mm) | 16 | Lowest (mm) | 64 | | [0.509 24.2] [3.221 2] | Highest (mm) | 60 | Highest (mm) | 174 | | [0.655 24.1] [3.358 2] | Settings | | | | | [0.808 22.6] [3.523 2] | Measuring Range | | Standard (None) | | | [0.945 20.2] [3.587 5] | Rebar Diameter Ø1 Scan-X (mm) | | 10 | | | [1.118 20.7] [3.657 2] | Rebar Diameter Ø2 Scan-Y (mm) | | 10 | | | [1.283 20.9] [3.788 2] | Artificial Intelligence / Neighboring Rebar Correction | | <input type="checkbox"/> | | | [1.414 16.5] | Cover Calibration | | <input type="checkbox"/> | | | [1.569 16.5] | Minimum Cover | | <input checked="" type="checkbox"/> | | | [1.697 16.3] | Minimum Cover Value (mm) | | 27 | | | [1.853 16.8] | Maximum Cover | | <input type="checkbox"/> | | | [2.020 19.0] | Maximum Cover Value (mm) | | - | | | [2.173 20.8] | Cover Offset | | <input type="checkbox"/> | | | [2.325 21.9] | Cover Offset Value (mm) | | - | | | [2.392 49.7] | Cover Calculation | | Conservative (Underestimation) | | | [2.471 21.8] | Align Rebar Positions | | - | | | | Line Height (cm) | | - | | | | Grid Width (cm) | | - | | | | Probe Position | | - | | | | Scan Cart | | Ruggedized | | App. 7D – Onderzijde bovenliggend terras | 25/27 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-003 | 09/13/2022 11:53 AM | Single-Line | 30 | 1 | 3.888 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Snapshots | | Statistics of Covers [Normal] | | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (mm mm mm) | [Distance(m) Cover(mm)] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| L: 1 | [2.538 5] | No. of Readings | 30 | No. of Readings | 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-0.015 17.0] [2.609 2] | Median (mm) | 22.4 | Median (mm) | 149 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.055 18.2] [2.758 2] | Mean (mm) | 24.9 | Mean (mm) | 131 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.204 22.2] [2.913 2] | Standard Deviation (mm) | 10.5 | Standard Deviation (mm) | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.353 23.4] [3.060 2] | Lowest (mm) | 16 | Lowest (mm) | 64 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.509 24.2] [3.221 2] | Highest (mm) | 60 | Highest (mm) | 174 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.655 24.1] [3.358 2] | Settings | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.808 22.6] [3.523 2] | Measuring Range | | Standard (None) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.945 20.2] [3.587 5] | Rebar Diameter Ø1 Scan-X (mm) | | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.118 20.7] [3.657 2] | Rebar Diameter Ø2 Scan-Y (mm) | | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.283 20.9] [3.788 2] | Artificial Intelligence / Neighboring Rebar Correction | | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.414 16.5] | Cover Calibration | | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.569 16.5] | Minimum Cover | | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.697 16.3] | Minimum Cover Value (mm) | | 27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.853 16.8] | Maximum Cover | | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [2.020 19.0] | Maximum Cover Value (mm) | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [2.173 20.8] | Cover Offset | | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [2.325 21.9] | Cover Offset Value (mm) | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [2.392 49.7] | Cover Calculation | | Conservative (Underestimation) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [2.471 21.8] | Align Rebar Positions | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Line Height (cm) | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Grid Width (cm) | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Probe Position | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Scan Cart | | Ruggedized | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|-------------------------------|-----------------------------|-------|----------|-----------|----------|-----------|------|-----------------------|---------------------|-------------|---|---|---------|---|--------|-----------|---------------------------|-------------------------------|-----------------------------|------------|------|--------------------|--------------------|--|--------------|-------------------|------------------|--|--------------|-----------------|----------------|--|--------------|------------------------------|-----------------------------|--|--------------|-----------------|-----------------|--|--------------|------------------|-------------------|--|--------------|--|--|--|--------------|--|--|--|-------|
| 1.08 | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche-004</td> <td>09/13/2022 11:53 AM</td> <td>Single-Line</td> <td>7</td> <td>1</td> <td>0.944 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> <p>View: Single-Line Curve: Cover</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Snapshots</th> <th>[Distance(m) Cover(mm)]</th> <th>Statistics of Covers [Normal]</th> <th>Statistics of Rebar Spacing</th> </tr> </thead> <tbody> <tr> <td>(mm mm mm)</td> <td>L: 1</td> <td>No. of Readings: 7</td> <td>No. of Readings: 6</td> </tr> <tr> <td></td> <td>[0.037 27.2]</td> <td>Median (mm): 25.3</td> <td>Median (mm): 119</td> </tr> <tr> <td></td> <td>[0.131 23.5]</td> <td>Mean (mm): 26.1</td> <td>Mean (mm): 139</td> </tr> <tr> <td></td> <td>[0.387 26.8]</td> <td>Standard Deviation (mm): 2.5</td> <td>Standard Deviation (mm): 54</td> </tr> <tr> <td></td> <td>[0.506 31.4]</td> <td>Lowest (mm): 24</td> <td>Lowest (mm): 94</td> </tr> <tr> <td></td> <td>[0.637 24.3]</td> <td>Highest (mm): 31</td> <td>Highest (mm): 256</td> </tr> <tr> <td></td> <td>[0.756 25.3]</td> <td></td> <td></td> </tr> <tr> <td></td> <td>[0.868 24.4]</td> <td></td> <td></td> </tr> </tbody> </table> <p>Settings</p> <ul style="list-style-type: none"> Measuring Range: Standard (None) Rebar Diameter Ø1 Scan-X (mm): 10 Rebar Diameter Ø2 Scan-Y (mm): 10 Artificial Intelligence / Neighboring Rebar Correction: <input type="checkbox"/> Cover Calibration: <input type="checkbox"/> Minimum Cover: <input checked="" type="checkbox"/> Minimum Cover Value (mm): 27 Maximum Cover: <input type="checkbox"/> Maximum Cover Value (mm): - Cover Offset: <input type="checkbox"/> Cover Offset Value (mm): - Cover Calculation: Conservative (Underestimation) Align Rebar Positions: - Line Height (cm): - Grid Width (cm): - Probe Position: - Scan Cart: Ruggedized <p>Comment 1.08 Langs</p> <p style="text-align: right; font-weight: bold;">Device Info</p> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-004 | 09/13/2022 11:53 AM | Single-Line | 7 | 1 | 0.944 m | 0 | Metric | Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | (mm mm mm) | L: 1 | No. of Readings: 7 | No. of Readings: 6 | | [0.037 27.2] | Median (mm): 25.3 | Median (mm): 119 | | [0.131 23.5] | Mean (mm): 26.1 | Mean (mm): 139 | | [0.387 26.8] | Standard Deviation (mm): 2.5 | Standard Deviation (mm): 54 | | [0.506 31.4] | Lowest (mm): 24 | Lowest (mm): 94 | | [0.637 24.3] | Highest (mm): 31 | Highest (mm): 256 | | [0.756 25.3] | | | | [0.868 24.4] | | | App. 7D – Onderzijde bovenliggend terras | 25/27 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-004 | 09/13/2022 11:53 AM | Single-Line | 7 | 1 | 0.944 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (mm mm mm) | L: 1 | No. of Readings: 7 | No. of Readings: 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.037 27.2] | Median (mm): 25.3 | Median (mm): 119 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.131 23.5] | Mean (mm): 26.1 | Mean (mm): 139 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.387 26.8] | Standard Deviation (mm): 2.5 | Standard Deviation (mm): 54 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.506 31.4] | Lowest (mm): 24 | Lowest (mm): 94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.637 24.3] | Highest (mm): 31 | Highest (mm): 256 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.756 25.3] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.868 24.4] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|--|--|-------------|-------------------------------------|----------|-----------|----------|-----------|------|----------------------------|---------------------|-------------|----|---|---------|---|--------|-----------|--|-------------------------------|--|-----------------------------|--|------------|--------------------------|--|--|--|--|------|---------|-----------------|----|-----------------|----|--|-----------------------|-------------|------|-------------|-----|--|-----------------------|-----------|------|-----------|-----|--|-----------------------|-------------------------|-----|-------------------------|----|--|-----------------------|-------------|----|-------------|----|--|-----------------------|--------------|----|--------------|-----|--|-----------------------|-----------------|--|--|--|--|-----------------------|-----------------|--|-----------------|--|--|-----------------------|-------------------------------|--|----|--|--|---------------|-------------------------------|--|----|--|--|---------------|--|--|--------------------------|--|--|---------------|-------------------|--|--------------------------|--|--|---------------|---------------|--|-------------------------------------|--|--|---------------|--------------------------|--|----|--|--|---------------|---------------|--|--------------------------|--|--|---------------|--------------------------|--|---|--|--|---------------|--------------|--|--------------------------|--|--|---------------|-------------------------|--|---|--|--|---------------|-------------------|--|--------------------------------|--|--|---------------|-----------------------|--|---|--|--|--|------------------|--|---|--|--|--|-----------------|--|---|--|--|--|----------------|--|---|--|--|--|-----------|--|------------|--|--|----|
| 1.11 | <div style="border: 1px solid #ccc; padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche-004(...)</td> <td>09/13/2022 12:24 PM</td> <td>Single-Line</td> <td>28</td> <td>1</td> <td>4.068 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> <p>View: Single-Line Curve: Cover</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Snapshots</th> <th colspan="2">Statistics of Covers [Normal]</th> <th colspan="2">Statistics of Rebar Spacing</th> </tr> <tr> <th>[mm mm mm]</th> <th>[Distance(m) Cover(mm)]</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>L: 1</td> <td>[-1.356</td> <td>No. of Readings</td> <td>28</td> <td>No. of Readings</td> <td>27</td> </tr> <tr> <td></td> <td>[-4.026 15.7] [-1.219</td> <td>Median (mm)</td> <td>16.6</td> <td>Median (mm)</td> <td>149</td> </tr> <tr> <td></td> <td>[-3.876 16.5] [-1.073</td> <td>Mean (mm)</td> <td>17.5</td> <td>Mean (mm)</td> <td>143</td> </tr> <tr> <td></td> <td>[-3.733 16.7] [-0.929</td> <td>Standard Deviation (mm)</td> <td>5.8</td> <td>Standard Deviation (mm)</td> <td>26</td> </tr> <tr> <td></td> <td>[-3.556 17.0] [-0.789</td> <td>Lowest (mm)</td> <td>14</td> <td>Lowest (mm)</td> <td>52</td> </tr> <tr> <td></td> <td>[-3.425 17.2] [-0.640</td> <td>Highest (mm)</td> <td>47</td> <td>Highest (mm)</td> <td>177</td> </tr> <tr> <td></td> <td>[-3.294 16.6] [-0.494</td> <td colspan="4">Settings</td> </tr> <tr> <td></td> <td>[-3.139 16.9] [-0.326</td> <td>Measuring Range</td> <td></td> <td>Standard (None)</td> <td></td> </tr> <tr> <td></td> <td>[-3.072 47.1] [-0.174</td> <td>Rebar Diameter Ø1 Scan-X (mm)</td> <td></td> <td>10</td> <td></td> </tr> <tr> <td></td> <td>[-3.020 16.5]</td> <td>Rebar Diameter Ø2 Scan-Y (mm)</td> <td></td> <td>10</td> <td></td> </tr> <tr> <td></td> <td>[-2.855 17.5]</td> <td>Artificial Intelligence / Neighboring Rebar Correction</td> <td></td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td>[-2.706 18.1]</td> <td>Cover Calibration</td> <td></td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td>[-2.551 18.3]</td> <td>Minimum Cover</td> <td></td> <td><input checked="" type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td>[-2.401 17.6]</td> <td>Minimum Cover Value (mm)</td> <td></td> <td>30</td> <td></td> </tr> <tr> <td></td> <td>[-2.252 17.1]</td> <td>Maximum Cover</td> <td></td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td>[-2.100 16.6]</td> <td>Maximum Cover Value (mm)</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td></td> <td>[-1.975 15.7]</td> <td>Cover Offset</td> <td></td> <td><input type="checkbox"/></td> <td></td> </tr> <tr> <td></td> <td>[-1.825 15.6]</td> <td>Cover Offset Value (mm)</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td></td> <td>[-1.676 16.8]</td> <td>Cover Calculation</td> <td></td> <td>Conservative (Underestimation)</td> <td></td> </tr> <tr> <td></td> <td>[-1.515 17.2]</td> <td>Align Rebar Positions</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Line Height (cm)</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Grid Width (cm)</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Probe Position</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Scan Cart</td> <td></td> <td>Ruggedized</td> <td></td> </tr> </tbody> </table> <p>Comment 1.11 Dwars</p> <p style="text-align: right;">Device Info</p> </div> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-004(...) | 09/13/2022 12:24 PM | Single-Line | 28 | 1 | 4.068 m | 0 | Metric | Snapshots | | Statistics of Covers [Normal] | | Statistics of Rebar Spacing | | [mm mm mm] | [Distance(m) Cover(mm)] | | | | | L: 1 | [-1.356 | No. of Readings | 28 | No. of Readings | 27 | | [-4.026 15.7] [-1.219 | Median (mm) | 16.6 | Median (mm) | 149 | | [-3.876 16.5] [-1.073 | Mean (mm) | 17.5 | Mean (mm) | 143 | | [-3.733 16.7] [-0.929 | Standard Deviation (mm) | 5.8 | Standard Deviation (mm) | 26 | | [-3.556 17.0] [-0.789 | Lowest (mm) | 14 | Lowest (mm) | 52 | | [-3.425 17.2] [-0.640 | Highest (mm) | 47 | Highest (mm) | 177 | | [-3.294 16.6] [-0.494 | Settings | | | | | [-3.139 16.9] [-0.326 | Measuring Range | | Standard (None) | | | [-3.072 47.1] [-0.174 | Rebar Diameter Ø1 Scan-X (mm) | | 10 | | | [-3.020 16.5] | Rebar Diameter Ø2 Scan-Y (mm) | | 10 | | | [-2.855 17.5] | Artificial Intelligence / Neighboring Rebar Correction | | <input type="checkbox"/> | | | [-2.706 18.1] | Cover Calibration | | <input type="checkbox"/> | | | [-2.551 18.3] | Minimum Cover | | <input checked="" type="checkbox"/> | | | [-2.401 17.6] | Minimum Cover Value (mm) | | 30 | | | [-2.252 17.1] | Maximum Cover | | <input type="checkbox"/> | | | [-2.100 16.6] | Maximum Cover Value (mm) | | - | | | [-1.975 15.7] | Cover Offset | | <input type="checkbox"/> | | | [-1.825 15.6] | Cover Offset Value (mm) | | - | | | [-1.676 16.8] | Cover Calculation | | Conservative (Underestimation) | | | [-1.515 17.2] | Align Rebar Positions | | - | | | | Line Height (cm) | | - | | | | Grid Width (cm) | | - | | | | Probe Position | | - | | | | Scan Cart | | Ruggedized | | App. 5D – Onderzijde bovenliggend terras | 30 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-004(...) | 09/13/2022 12:24 PM | Single-Line | 28 | 1 | 4.068 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Snapshots | | Statistics of Covers [Normal] | | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| [mm mm mm] | [Distance(m) Cover(mm)] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| L: 1 | [-1.356 | No. of Readings | 28 | No. of Readings | 27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-4.026 15.7] [-1.219 | Median (mm) | 16.6 | Median (mm) | 149 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-3.876 16.5] [-1.073 | Mean (mm) | 17.5 | Mean (mm) | 143 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-3.733 16.7] [-0.929 | Standard Deviation (mm) | 5.8 | Standard Deviation (mm) | 26 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-3.556 17.0] [-0.789 | Lowest (mm) | 14 | Lowest (mm) | 52 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-3.425 17.2] [-0.640 | Highest (mm) | 47 | Highest (mm) | 177 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-3.294 16.6] [-0.494 | Settings | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-3.139 16.9] [-0.326 | Measuring Range | | Standard (None) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-3.072 47.1] [-0.174 | Rebar Diameter Ø1 Scan-X (mm) | | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-3.020 16.5] | Rebar Diameter Ø2 Scan-Y (mm) | | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-2.855 17.5] | Artificial Intelligence / Neighboring Rebar Correction | | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-2.706 18.1] | Cover Calibration | | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-2.551 18.3] | Minimum Cover | | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-2.401 17.6] | Minimum Cover Value (mm) | | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-2.252 17.1] | Maximum Cover | | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-2.100 16.6] | Maximum Cover Value (mm) | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-1.975 15.7] | Cover Offset | | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-1.825 15.6] | Cover Offset Value (mm) | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-1.676 16.8] | Cover Calculation | | Conservative (Underestimation) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-1.515 17.2] | Align Rebar Positions | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Line Height (cm) | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Grid Width (cm) | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Probe Position | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Scan Cart | | Ruggedized | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|-------------------------------|-----------------------------|-------|----------|-----------|----------|-----------|------|-----------------------|---------------------|-------------|---|---|---------|---|--------|-----------|---------------------------|-------------------------------|-----------------------------|------------|------|--------------------|--------------------|--|--------------|-------------------|-----------------|--|--------------|-----------------|----------------|--|--------------|------------------------------|-----------------------------|--|--------------|-----------------|-----------------|--|--------------|------------------|-------------------|-----------------|-----------------|-------------------------------|----|-------------------------------|----|--|--------------------------|-------------------|--------------------------|---------------|-------------------------------------|--------------------------|----|---------------|--------------------------|--------------------------|---|--------------|--------------------------|-------------------------|---|-------------------|--------------------------------|-----------------------|---|------------------|---|-----------------|---|----------------|---|-----------|------------|---|-----------|
| <p>1.11</p> | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche-005</td> <td>09/13/2022 12:24 PM</td> <td>Single-Line</td> <td>5</td> <td>1</td> <td>0.807 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> <p>View: Single-Line Curve: Cover</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Snapshots</th> <th>[Distance(m) Cover(mm)]</th> <th>Statistics of Covers [Normal]</th> <th>Statistics of Rebar Spacing</th> </tr> </thead> <tbody> <tr> <td>(mm mm mm)</td> <td>L: 1</td> <td>No. of Readings: 5</td> <td>No. of Readings: 4</td> </tr> <tr> <td></td> <td>[0.247 28.4]</td> <td>Median (mm): 28.9</td> <td>Median (mm): 87</td> </tr> <tr> <td></td> <td>[0.481 28.9]</td> <td>Mean (mm): 30.5</td> <td>Mean (mm): 120</td> </tr> <tr> <td></td> <td>[0.555 36.7]</td> <td>Standard Deviation (mm): 3.2</td> <td>Standard Deviation (mm): 66</td> </tr> <tr> <td></td> <td>[0.637 28.1]</td> <td>Lowest (mm): 28</td> <td>Lowest (mm): 73</td> </tr> <tr> <td></td> <td>[0.728 30.2]</td> <td>Highest (mm): 37</td> <td>Highest (mm): 235</td> </tr> </tbody> </table> <p>Settings</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Measuring Range</td> <td>Standard (None)</td> </tr> <tr> <td>Rebar Diameter Ø1 Scan-X (mm)</td> <td>10</td> </tr> <tr> <td>Rebar Diameter Ø2 Scan-Y (mm)</td> <td>10</td> </tr> <tr> <td>Artificial Intelligence / Neighboring Rebar Correction</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Cover Calibration</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Minimum Cover</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Minimum Cover Value (mm)</td> <td>30</td> </tr> <tr> <td>Maximum Cover</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Maximum Cover Value (mm)</td> <td>-</td> </tr> <tr> <td>Cover Offset</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Cover Offset Value (mm)</td> <td>-</td> </tr> <tr> <td>Cover Calculation</td> <td>Conservative (Underestimation)</td> </tr> <tr> <td>Align Rebar Positions</td> <td>-</td> </tr> <tr> <td>Line Height (cm)</td> <td>-</td> </tr> <tr> <td>Grid Width (cm)</td> <td>-</td> </tr> <tr> <td>Probe Position</td> <td>-</td> </tr> <tr> <td>Scan Cart</td> <td>Ruggedized</td> </tr> </tbody> </table> <p>Comment 1.11 Langs</p> <p>Device Info</p> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-005 | 09/13/2022 12:24 PM | Single-Line | 5 | 1 | 0.807 m | 0 | Metric | Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | (mm mm mm) | L: 1 | No. of Readings: 5 | No. of Readings: 4 | | [0.247 28.4] | Median (mm): 28.9 | Median (mm): 87 | | [0.481 28.9] | Mean (mm): 30.5 | Mean (mm): 120 | | [0.555 36.7] | Standard Deviation (mm): 3.2 | Standard Deviation (mm): 66 | | [0.637 28.1] | Lowest (mm): 28 | Lowest (mm): 73 | | [0.728 30.2] | Highest (mm): 37 | Highest (mm): 235 | Measuring Range | Standard (None) | Rebar Diameter Ø1 Scan-X (mm) | 10 | Rebar Diameter Ø2 Scan-Y (mm) | 10 | Artificial Intelligence / Neighboring Rebar Correction | <input type="checkbox"/> | Cover Calibration | <input type="checkbox"/> | Minimum Cover | <input checked="" type="checkbox"/> | Minimum Cover Value (mm) | 30 | Maximum Cover | <input type="checkbox"/> | Maximum Cover Value (mm) | - | Cover Offset | <input type="checkbox"/> | Cover Offset Value (mm) | - | Cover Calculation | Conservative (Underestimation) | Align Rebar Positions | - | Line Height (cm) | - | Grid Width (cm) | - | Probe Position | - | Scan Cart | Ruggedized | <p>App. 5D – Onderzijde bovenliggend terras</p> | <p>30</p> |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-005 | 09/13/2022 12:24 PM | Single-Line | 5 | 1 | 0.807 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (mm mm mm) | L: 1 | No. of Readings: 5 | No. of Readings: 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.247 28.4] | Median (mm): 28.9 | Median (mm): 87 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.481 28.9] | Mean (mm): 30.5 | Mean (mm): 120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.555 36.7] | Standard Deviation (mm): 3.2 | Standard Deviation (mm): 66 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.637 28.1] | Lowest (mm): 28 | Lowest (mm): 73 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.728 30.2] | Highest (mm): 37 | Highest (mm): 235 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Measuring Range | Standard (None) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rebar Diameter Ø1 Scan-X (mm) | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rebar Diameter Ø2 Scan-Y (mm) | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Artificial Intelligence / Neighboring Rebar Correction | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cover Calibration | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Minimum Cover | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Minimum Cover Value (mm) | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Maximum Cover | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Maximum Cover Value (mm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cover Offset | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cover Offset Value (mm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cover Calculation | Conservative (Underestimation) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Align Rebar Positions | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Line Height (cm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Grid Width (cm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Probe Position | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Scan Cart | Ruggedized | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--|-------------------------------|-----------------------------|-------|----------|-----------|----------|-----------|------|---------------------------|---------------------|-------------|----|---|---------|---|--------|-----------|---------------------------|-------------------------------|-----------------------------|------------|------|---------------------|--------------------|--|--------------|-------------------|------------------|--|--------------|-----------------|----------------|--|--------------|------------------------------|-----------------------------|--|--------------|-----------------|------------------|--|--------------|------------------|-------------------|--|--------------|--|--|--|--------------|--|--|--|--------------|--|--|--|--------------|--|--|--|--------------|--|--|--|-------|
| 1.14 | <div data-bbox="295 409 1273 459"> <table border="1"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche-005(...</td> <td>09/13/2022 12:39 PM</td> <td>Single-Line</td> <td>10</td> <td>1</td> <td>1.508 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> </div> <div data-bbox="335 465 1232 761"> <p>View: Single-Line Curve: Cover</p> </div> <div data-bbox="335 772 1232 1041"> <table border="1"> <thead> <tr> <th>Snapshots</th> <th>[Distance(m) Cover(mm)]</th> <th>Statistics of Covers [Normal]</th> <th>Statistics of Rebar Spacing</th> </tr> </thead> <tbody> <tr> <td>(mm mm mm)</td> <td>L: 1</td> <td>No. of Readings: 10</td> <td>No. of Readings: 9</td> </tr> <tr> <td></td> <td>[0.134 17.1]</td> <td>Median (mm): 23.0</td> <td>Median (mm): 146</td> </tr> <tr> <td></td> <td>[0.277 17.9]</td> <td>Mean (mm): 24.1</td> <td>Mean (mm): 149</td> </tr> <tr> <td></td> <td>[0.424 18.4]</td> <td>Standard Deviation (mm): 5.9</td> <td>Standard Deviation (mm): 12</td> </tr> <tr> <td></td> <td>[0.585 19.6]</td> <td>Lowest (mm): 17</td> <td>Lowest (mm): 134</td> </tr> <tr> <td></td> <td>[0.731 21.8]</td> <td>Highest (mm): 35</td> <td>Highest (mm): 174</td> </tr> <tr> <td></td> <td>[0.905 24.2]</td> <td></td> <td></td> </tr> <tr> <td></td> <td>[1.060 26.5]</td> <td></td> <td></td> </tr> <tr> <td></td> <td>[1.204 28.9]</td> <td></td> <td></td> </tr> <tr> <td></td> <td>[1.338 30.8]</td> <td></td> <td></td> </tr> <tr> <td></td> <td>[1.472 35.4]</td> <td></td> <td></td> </tr> </tbody> </table> </div> <div data-bbox="335 1064 1232 1310"> <p>Settings</p> <ul style="list-style-type: none"> Measuring Range: Standard (None) Rebar Diameter Ø1 Scan-X (mm): 10 Rebar Diameter Ø2 Scan-Y (mm): 10 Artificial Intelligence / Neighboring Rebar Correction: <input type="checkbox"/> Cover Calibration: <input type="checkbox"/> Minimum Cover: <input checked="" type="checkbox"/> Minimum Cover Value (mm): 42 Maximum Cover: <input type="checkbox"/> Maximum Cover Value (mm): - Cover Offset: <input type="checkbox"/> Cover Offset Value (mm): - Cover Calculation: Conservative (Underestimation) Align Rebar Positions: - Line Height (cm): - Grid Width (cm): - Probe Position: - Scan Cart: Ruggedized </div> <div data-bbox="335 1064 478 1120"> <p>Comment 1.14 Dwers</p> </div> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-005(... | 09/13/2022 12:39 PM | Single-Line | 10 | 1 | 1.508 m | 0 | Metric | Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | (mm mm mm) | L: 1 | No. of Readings: 10 | No. of Readings: 9 | | [0.134 17.1] | Median (mm): 23.0 | Median (mm): 146 | | [0.277 17.9] | Mean (mm): 24.1 | Mean (mm): 149 | | [0.424 18.4] | Standard Deviation (mm): 5.9 | Standard Deviation (mm): 12 | | [0.585 19.6] | Lowest (mm): 17 | Lowest (mm): 134 | | [0.731 21.8] | Highest (mm): 35 | Highest (mm): 174 | | [0.905 24.2] | | | | [1.060 26.5] | | | | [1.204 28.9] | | | | [1.338 30.8] | | | | [1.472 35.4] | | | App. 5A – Onderzijde bovenliggend terras | 42/35 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-005(... | 09/13/2022 12:39 PM | Single-Line | 10 | 1 | 1.508 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (mm mm mm) | L: 1 | No. of Readings: 10 | No. of Readings: 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.134 17.1] | Median (mm): 23.0 | Median (mm): 146 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.277 17.9] | Mean (mm): 24.1 | Mean (mm): 149 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.424 18.4] | Standard Deviation (mm): 5.9 | Standard Deviation (mm): 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.585 19.6] | Lowest (mm): 17 | Lowest (mm): 134 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.731 21.8] | Highest (mm): 35 | Highest (mm): 174 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.905 24.2] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.060 26.5] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.204 28.9] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.338 30.8] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.472 35.4] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|-------------------------------|-----------------------------|-------|----------|-----------|----------|-----------|------|-----------------------|---------------------|-------------|---|---|---------|---|--------|-----------|---------------------------|-------------------------------|-----------------------------|------------|------|--------------------|--------------------|--|--------------|-------------------|------------------|--|--------------|-----------------|----------------|--|--------------|------------------------------|-----------------------------|--|--------------|-----------------|-----------------|--|--------------|------------------|-------------------|-----------------|-----------------|-------------------------------|----|-------------------------------|----|--|--------------------------|-------------------|--------------------------|---------------|-------------------------------------|--------------------------|----|---------------|--------------------------|--------------------------|---|--------------|--------------------------|-------------------------|---|-------------------|--------------------------------|-----------------------|---|------------------|---|-----------------|---|----------------|---|-----------|------------|--|-------|
| 1.14 | <div style="border: 1px solid black; padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche-006</td> <td>09/13/2022 12:39 PM</td> <td>Single-Line</td> <td>5</td> <td>1</td> <td>0.956 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> <p>View: Single-Line Curve: Cover</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Snapshots</th> <th>[Distance(m) Cover(mm)]</th> <th>Statistics of Covers [Normal]</th> <th>Statistics of Rebar Spacing</th> </tr> </thead> <tbody> <tr> <td>(mm mm mm)</td> <td>L: 1</td> <td>No. of Readings: 5</td> <td>No. of Readings: 4</td> </tr> <tr> <td></td> <td>[0.162 28.5]</td> <td>Median (mm): 24.9</td> <td>Median (mm): 198</td> </tr> <tr> <td></td> <td>[0.417 27.4]</td> <td>Mean (mm): 25.9</td> <td>Mean (mm): 187</td> </tr> <tr> <td></td> <td>[0.667 24.9]</td> <td>Standard Deviation (mm): 1.8</td> <td>Standard Deviation (mm): 69</td> </tr> <tr> <td></td> <td>[0.814 23.9]</td> <td>Lowest (mm): 24</td> <td>Lowest (mm): 94</td> </tr> <tr> <td></td> <td>[0.908 24.7]</td> <td>Highest (mm): 29</td> <td>Highest (mm): 256</td> </tr> </tbody> </table> <p>Settings</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>Measuring Range</td> <td>Standard (None)</td> </tr> <tr> <td>Rebar Diameter Ø1 Scan-X (mm)</td> <td>10</td> </tr> <tr> <td>Rebar Diameter Ø2 Scan-Y (mm)</td> <td>10</td> </tr> <tr> <td>Artificial Intelligence / Neighboring Rebar Correction</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Cover Calibration</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Minimum Cover</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Minimum Cover Value (mm)</td> <td>42</td> </tr> <tr> <td>Maximum Cover</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Maximum Cover Value (mm)</td> <td>-</td> </tr> <tr> <td>Cover Offset</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Cover Offset Value (mm)</td> <td>-</td> </tr> <tr> <td>Cover Calculation</td> <td>Conservative (Underestimation)</td> </tr> <tr> <td>Align Rebar Positions</td> <td>-</td> </tr> <tr> <td>Line Height (cm)</td> <td>-</td> </tr> <tr> <td>Grid Width (cm)</td> <td>-</td> </tr> <tr> <td>Probe Position</td> <td>-</td> </tr> <tr> <td>Scan Cart</td> <td>Ruggedized</td> </tr> </tbody> </table> <p>Comment 1.14 Langs</p> <p>Device Info</p> </div> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-006 | 09/13/2022 12:39 PM | Single-Line | 5 | 1 | 0.956 m | 0 | Metric | Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | (mm mm mm) | L: 1 | No. of Readings: 5 | No. of Readings: 4 | | [0.162 28.5] | Median (mm): 24.9 | Median (mm): 198 | | [0.417 27.4] | Mean (mm): 25.9 | Mean (mm): 187 | | [0.667 24.9] | Standard Deviation (mm): 1.8 | Standard Deviation (mm): 69 | | [0.814 23.9] | Lowest (mm): 24 | Lowest (mm): 94 | | [0.908 24.7] | Highest (mm): 29 | Highest (mm): 256 | Measuring Range | Standard (None) | Rebar Diameter Ø1 Scan-X (mm) | 10 | Rebar Diameter Ø2 Scan-Y (mm) | 10 | Artificial Intelligence / Neighboring Rebar Correction | <input type="checkbox"/> | Cover Calibration | <input type="checkbox"/> | Minimum Cover | <input checked="" type="checkbox"/> | Minimum Cover Value (mm) | 42 | Maximum Cover | <input type="checkbox"/> | Maximum Cover Value (mm) | - | Cover Offset | <input type="checkbox"/> | Cover Offset Value (mm) | - | Cover Calculation | Conservative (Underestimation) | Align Rebar Positions | - | Line Height (cm) | - | Grid Width (cm) | - | Probe Position | - | Scan Cart | Ruggedized | App. 5A – Onderzijde bovenliggend terras | 42/35 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-006 | 09/13/2022 12:39 PM | Single-Line | 5 | 1 | 0.956 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (mm mm mm) | L: 1 | No. of Readings: 5 | No. of Readings: 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.162 28.5] | Median (mm): 24.9 | Median (mm): 198 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.417 27.4] | Mean (mm): 25.9 | Mean (mm): 187 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.667 24.9] | Standard Deviation (mm): 1.8 | Standard Deviation (mm): 69 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.814 23.9] | Lowest (mm): 24 | Lowest (mm): 94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.908 24.7] | Highest (mm): 29 | Highest (mm): 256 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Measuring Range | Standard (None) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rebar Diameter Ø1 Scan-X (mm) | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rebar Diameter Ø2 Scan-Y (mm) | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Artificial Intelligence / Neighboring Rebar Correction | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cover Calibration | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Minimum Cover | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Minimum Cover Value (mm) | 42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Maximum Cover | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Maximum Cover Value (mm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cover Offset | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cover Offset Value (mm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cover Calculation | Conservative (Underestimation) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Align Rebar Positions | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Line Height (cm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Grid Width (cm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Probe Position | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Scan Cart | Ruggedized | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] |
|-------|-----------------------------------|--------------------|------------|
| 1.15 | Geen detectie mogelijk op linteel | App. 5A – Linteeel | 41/42 |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|-------------------------------|-------------|-----------------------------|-------------|-----------|----------|-----------|------|----------------------------|--------------------|-------------|----|---|---------|---|--------|-----------|--|-------------------------------|--|-----------------------------|--|------|------|---------------|-----------|-----------------|-------------|--|--|------|------------|----|-----|--|--|--------------|------------|------|-----|--|--|--------------|------------|------|----|--|--|--------------|------------|-----|----|--|--|--------------|------------|---|-----|--|--|--------------|------------|----|--|--|--|--------------|------------|--|--|--|--|--------------|------------|--|--|--|--|--------------|--|--|--|--|--|--------------|--|--|--|--|--|--------------|--|--|--|--|--|-------------|--|--|--|--|--|--------------|--|--|--|--|--|--------------|--|--|--|--|--|--------------|--|--|--|--|--|--------------|--|--|--|--|--|--------------|--|--|--|--|--|--------------|--|--|--|--|--|--------------|--|--|--|--|--|--------------|--|--|--|--|----|
| 1.18 | <div style="border: 1px solid #ccc; padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche-006(...)</td> <td>09/13/2022 1:14 PM</td> <td>Single-Line</td> <td>27</td> <td>1</td> <td>3.934 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> <p>View: Single-Line Curve: Cover</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Snapshots</th> <th colspan="2">Statistics of Covers [Normal]</th> <th colspan="2">Statistics of Rebar Spacing</th> </tr> <tr> <th>[mm]</th> <th>[mm]</th> <th>[Distance(m)]</th> <th>Cover(mm)</th> <th>No. of Readings</th> <th>Median (mm)</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>L: 1</td> <td>[2.825] 22</td> <td>27</td> <td>148</td> </tr> <tr> <td></td> <td></td> <td>[0.067] 48.7</td> <td>[2.983] 20</td> <td>17.7</td> <td>146</td> </tr> <tr> <td></td> <td></td> <td>[0.162] 20.5</td> <td>[3.127] 20</td> <td>18.4</td> <td>18</td> </tr> <tr> <td></td> <td></td> <td>[0.302] 20.5</td> <td>[3.297] 16</td> <td>7.0</td> <td>94</td> </tr> <tr> <td></td> <td></td> <td>[0.469] 19.8</td> <td>[3.425] 15</td> <td>9</td> <td>171</td> </tr> <tr> <td></td> <td></td> <td>[0.606] 18.2</td> <td>[3.575] 15</td> <td>49</td> <td></td> </tr> <tr> <td></td> <td></td> <td>[0.734] 17.0</td> <td>[3.730] 17</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[0.905] 14.5</td> <td>[3.873] 24</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[1.048] 15.2</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[1.204] 13.5</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[1.365] 11.8</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[1.502] 8.5</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[1.670] 10.8</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[1.816] 12.4</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[1.926] 15.6</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[2.063] 17.1</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[2.225] 18.0</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[2.365] 21.2</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[2.517] 20.9</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>[2.676] 19.8</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>Settings</p> <ul style="list-style-type: none"> Measuring Range: Standard (None) Rebar Diameter Ø1 Scan-X (mm): 10 Rebar Diameter Ø2 Scan-Y (mm): 10 Artificial Intelligence / Neighboring Rebar Correction: <input type="checkbox"/> Cover Calibration: <input type="checkbox"/> Minimum Cover: <input checked="" type="checkbox"/> Minimum Cover Value (mm): 23 Maximum Cover: <input type="checkbox"/> Maximum Cover Value (mm): - Cover Offset: <input type="checkbox"/> Cover Offset Value (mm): - Cover Calculation: Conservative (Underestimation) Align Rebar Positions: - Line Height (cm): - Grid Width (cm): - Probe Position: - Scan Cart: Ruggedized <p>Comment 1.18 Dwars</p> <p style="text-align: right; color: #00aaff;">Device Info</p> </div> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-006(...) | 09/13/2022 1:14 PM | Single-Line | 27 | 1 | 3.934 m | 0 | Metric | Snapshots | | Statistics of Covers [Normal] | | Statistics of Rebar Spacing | | [mm] | [mm] | [Distance(m)] | Cover(mm) | No. of Readings | Median (mm) | | | L: 1 | [2.825] 22 | 27 | 148 | | | [0.067] 48.7 | [2.983] 20 | 17.7 | 146 | | | [0.162] 20.5 | [3.127] 20 | 18.4 | 18 | | | [0.302] 20.5 | [3.297] 16 | 7.0 | 94 | | | [0.469] 19.8 | [3.425] 15 | 9 | 171 | | | [0.606] 18.2 | [3.575] 15 | 49 | | | | [0.734] 17.0 | [3.730] 17 | | | | | [0.905] 14.5 | [3.873] 24 | | | | | [1.048] 15.2 | | | | | | [1.204] 13.5 | | | | | | [1.365] 11.8 | | | | | | [1.502] 8.5 | | | | | | [1.670] 10.8 | | | | | | [1.816] 12.4 | | | | | | [1.926] 15.6 | | | | | | [2.063] 17.1 | | | | | | [2.225] 18.0 | | | | | | [2.365] 21.2 | | | | | | [2.517] 20.9 | | | | | | [2.676] 19.8 | | | | App. 3D – Onderzijde bovenliggend terras | 23 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-006(...) | 09/13/2022 1:14 PM | Single-Line | 27 | 1 | 3.934 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Snapshots | | Statistics of Covers [Normal] | | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| [mm] | [mm] | [Distance(m)] | Cover(mm) | No. of Readings | Median (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | L: 1 | [2.825] 22 | 27 | 148 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [0.067] 48.7 | [2.983] 20 | 17.7 | 146 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [0.162] 20.5 | [3.127] 20 | 18.4 | 18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [0.302] 20.5 | [3.297] 16 | 7.0 | 94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [0.469] 19.8 | [3.425] 15 | 9 | 171 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [0.606] 18.2 | [3.575] 15 | 49 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [0.734] 17.0 | [3.730] 17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [0.905] 14.5 | [3.873] 24 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [1.048] 15.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [1.204] 13.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [1.365] 11.8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [1.502] 8.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [1.670] 10.8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [1.816] 12.4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [1.926] 15.6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [2.063] 17.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [2.225] 18.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [2.365] 21.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [2.517] 20.9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | [2.676] 19.8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|--|--|-----------------------------|-------|----------|-----------|----------|-----------|------|-----------------------|--------------------|-------------|---|---|---------|---|--------|-----------|---------------------------|-------------------------------|-----------------------------|------------|------|--------------------|--------------------|--|---------------|-------------------|------------------|--|---------------|-----------------|----------------|--|---------------|------------------------------|-----------------------------|--|---------------|-----------------|------------------|--|--|------------------|-------------------|---------|-------------|----------|------------|--|----------------------------------|--|--|-----------------------------------|--|--|-----------------------------------|--|--|--|--|--|---|--|--|--|--|--|------------------------------|--|--|---|--|--|-----------------------------|--|--|--|--|--|----------------------------|--|--|---|--|--|--------------------------|--|--|---------------------|--|--|--------------------|--|--|-------------------|--|--|-----------------------|--|----|
| 1.18 | <div data-bbox="295 409 1273 459"> <table border="1"> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> <tr> <td>La Maison Blanche-007</td> <td>09/13/2022 1:15 PM</td> <td>Single-Line</td> <td>4</td> <td>1</td> <td>0.917 m</td> <td>0</td> <td>Metric</td> </tr> </table> </div> <div data-bbox="331 465 1230 763"> <p>View: Single-Line Curve: Cover</p> </div> <div data-bbox="339 779 1254 920"> <table border="1"> <thead> <tr> <th>Snapshots</th> <th>[Distance(m) Cover(mm)]</th> <th>Statistics of Covers [Normal]</th> <th>Statistics of Rebar Spacing</th> </tr> </thead> <tbody> <tr> <td>(mm mm mm)</td> <td>L: 1</td> <td>No. of Readings: 4</td> <td>No. of Readings: 3</td> </tr> <tr> <td></td> <td>[-0.872 20.4]</td> <td>Median (mm): 21.9</td> <td>Median (mm): 253</td> </tr> <tr> <td></td> <td>[-0.649 21.7]</td> <td>Mean (mm): 22.4</td> <td>Mean (mm): 243</td> </tr> <tr> <td></td> <td>[-0.396 22.1]</td> <td>Standard Deviation (mm): 1.9</td> <td>Standard Deviation (mm): 14</td> </tr> <tr> <td></td> <td>[-0.143 25.5]</td> <td>Lowest (mm): 20</td> <td>Lowest (mm): 222</td> </tr> <tr> <td></td> <td></td> <td>Highest (mm): 26</td> <td>Highest (mm): 253</td> </tr> </tbody> </table> </div> <div data-bbox="335 943 1254 1308"> <table border="1"> <thead> <tr> <th>Comment</th> <th>Device Info</th> <th>Settings</th> </tr> </thead> <tbody> <tr> <td>1.18 Langs</td> <td></td> <td>Measuring Range: Standard (None)</td> </tr> <tr> <td></td> <td></td> <td>Rebar Diameter Ø1 Scan-X (mm): 10</td> </tr> <tr> <td></td> <td></td> <td>Rebar Diameter Ø2 Scan-Y (mm): 10</td> </tr> <tr> <td></td> <td></td> <td>Artificial Intelligence / Neighboring Rebar Correction: <input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Cover Calibration: <input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Minimum Cover: <input checked="" type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Minimum Cover Value (mm): 23</td> </tr> <tr> <td></td> <td></td> <td>Maximum Cover: <input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Maximum Cover Value (mm): -</td> </tr> <tr> <td></td> <td></td> <td>Cover Offset: <input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Cover Offset Value (mm): -</td> </tr> <tr> <td></td> <td></td> <td>Cover Calculation: Conservative (Underestimation)</td> </tr> <tr> <td></td> <td></td> <td>Align Rebar Positions: -</td> </tr> <tr> <td></td> <td></td> <td>Line Height (cm): -</td> </tr> <tr> <td></td> <td></td> <td>Grid Width (cm): -</td> </tr> <tr> <td></td> <td></td> <td>Probe Position: -</td> </tr> <tr> <td></td> <td></td> <td>Scan Cart: Ruggedized</td> </tr> </tbody> </table> </div> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-007 | 09/13/2022 1:15 PM | Single-Line | 4 | 1 | 0.917 m | 0 | Metric | Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | (mm mm mm) | L: 1 | No. of Readings: 4 | No. of Readings: 3 | | [-0.872 20.4] | Median (mm): 21.9 | Median (mm): 253 | | [-0.649 21.7] | Mean (mm): 22.4 | Mean (mm): 243 | | [-0.396 22.1] | Standard Deviation (mm): 1.9 | Standard Deviation (mm): 14 | | [-0.143 25.5] | Lowest (mm): 20 | Lowest (mm): 222 | | | Highest (mm): 26 | Highest (mm): 253 | Comment | Device Info | Settings | 1.18 Langs | | Measuring Range: Standard (None) | | | Rebar Diameter Ø1 Scan-X (mm): 10 | | | Rebar Diameter Ø2 Scan-Y (mm): 10 | | | Artificial Intelligence / Neighboring Rebar Correction: <input type="checkbox"/> | | | Cover Calibration: <input type="checkbox"/> | | | Minimum Cover: <input checked="" type="checkbox"/> | | | Minimum Cover Value (mm): 23 | | | Maximum Cover: <input type="checkbox"/> | | | Maximum Cover Value (mm): - | | | Cover Offset: <input type="checkbox"/> | | | Cover Offset Value (mm): - | | | Cover Calculation: Conservative (Underestimation) | | | Align Rebar Positions: - | | | Line Height (cm): - | | | Grid Width (cm): - | | | Probe Position: - | | | Scan Cart: Ruggedized | App. 3D – Onderzijde bovenliggend terras | 23 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-007 | 09/13/2022 1:15 PM | Single-Line | 4 | 1 | 0.917 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (mm mm mm) | L: 1 | No. of Readings: 4 | No. of Readings: 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-0.872 20.4] | Median (mm): 21.9 | Median (mm): 253 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-0.649 21.7] | Mean (mm): 22.4 | Mean (mm): 243 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-0.396 22.1] | Standard Deviation (mm): 1.9 | Standard Deviation (mm): 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-0.143 25.5] | Lowest (mm): 20 | Lowest (mm): 222 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Highest (mm): 26 | Highest (mm): 253 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Comment | Device Info | Settings | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.18 Langs | | Measuring Range: Standard (None) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Rebar Diameter Ø1 Scan-X (mm): 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Rebar Diameter Ø2 Scan-Y (mm): 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Artificial Intelligence / Neighboring Rebar Correction: <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Cover Calibration: <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Minimum Cover: <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Minimum Cover Value (mm): 23 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Maximum Cover: <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Maximum Cover Value (mm): - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Cover Offset: <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Cover Offset Value (mm): - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Cover Calculation: Conservative (Underestimation) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Align Rebar Positions: - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Line Height (cm): - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Grid Width (cm): - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Probe Position: - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Scan Cart: Ruggedized | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|-------------------------------------|-------|----------|-----------|----------|-----------|------|----------------------------|--------------------|-------------|----|---|---------|---|--------|-----------|---------------------------------|-------------------------------|-----------------------------|--|------|---------------------|---------------------|--|---------------|-------------------|------------------|--|--------------|-----------------|----------------|--|--------------|------------------------------|-----------------------------|--|--------------|-----------------|-----------------|--|--------------|------------------|-------------------|--|--------------|-----------------|--|--|--------------|-----------------|-----------------|--|--------------|-------------------------------|----|--|--------------|-------------------------------|----|--|--------------|--|--------------------------|--|--------------|-------------------|--------------------------|--|--|---------------|-------------------------------------|--|--|--------------------------|----|--|--|---------------|--------------------------|--|--|--------------------------|---|--|--|--------------|--------------------------|--|--|-------------------------|---|--|--|-------------------|--------------------------------|--|--|-----------------------|---|--|--|------------------|---|--|--|-----------------|---|--|--|----------------|---|--|--|-----------|------------|--|-------|
| 1.21 | <table border="1"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche-007(...)</td> <td>09/13/2022 1:39 PM</td> <td>Single-Line</td> <td>11</td> <td>1</td> <td>1.462 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> <p>View: Single-Line Curve: Cover</p> <table border="1"> <thead> <tr> <th>Snapshots</th> <th>[Distance(m) Cover(mm) mm mm]</th> <th>Statistics of Covers [Normal]</th> <th>Statistics of Rebar Spacing</th> </tr> </thead> <tbody> <tr> <td></td> <td>L: 1</td> <td>No. of Readings: 11</td> <td>No. of Readings: 10</td> </tr> <tr> <td></td> <td>[-0.037 20.4]</td> <td>Median (mm): 21.7</td> <td>Median (mm): 142</td> </tr> <tr> <td></td> <td>[0.162 18.8]</td> <td>Mean (mm): 23.2</td> <td>Mean (mm): 137</td> </tr> <tr> <td></td> <td>[0.308 20.6]</td> <td>Standard Deviation (mm): 5.7</td> <td>Standard Deviation (mm): 32</td> </tr> <tr> <td></td> <td>[0.451 21.7]</td> <td>Lowest (mm): 19</td> <td>Lowest (mm): 73</td> </tr> <tr> <td></td> <td>[0.524 40.9]</td> <td>Highest (mm): 41</td> <td>Highest (mm): 198</td> </tr> <tr> <td></td> <td>[0.622 22.6]</td> <td colspan="2">Settings</td> </tr> <tr> <td></td> <td>[0.756 22.1]</td> <td>Measuring Range</td> <td>Standard (None)</td> </tr> <tr> <td></td> <td>[0.914 22.3]</td> <td>Rebar Diameter Ø1 Scan-X (mm)</td> <td>10</td> </tr> <tr> <td></td> <td>[1.060 21.7]</td> <td>Rebar Diameter Ø2 Scan-Y (mm)</td> <td>10</td> </tr> <tr> <td></td> <td>[1.198 21.7]</td> <td>Artificial Intelligence / Neighboring Rebar Correction</td> <td><input type="checkbox"/></td> </tr> <tr> <td></td> <td>[1.338 21.9]</td> <td>Cover Calibration</td> <td><input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Minimum Cover</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Minimum Cover Value (mm)</td> <td>22</td> </tr> <tr> <td></td> <td></td> <td>Maximum Cover</td> <td><input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Maximum Cover Value (mm)</td> <td>-</td> </tr> <tr> <td></td> <td></td> <td>Cover Offset</td> <td><input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td>Cover Offset Value (mm)</td> <td>-</td> </tr> <tr> <td></td> <td></td> <td>Cover Calculation</td> <td>Conservative (Underestimation)</td> </tr> <tr> <td></td> <td></td> <td>Align Rebar Positions</td> <td>-</td> </tr> <tr> <td></td> <td></td> <td>Line Height (cm)</td> <td>-</td> </tr> <tr> <td></td> <td></td> <td>Grid Width (cm)</td> <td>-</td> </tr> <tr> <td></td> <td></td> <td>Probe Position</td> <td>-</td> </tr> <tr> <td></td> <td></td> <td>Scan Cart</td> <td>Ruggedized</td> </tr> </tbody> </table> <p>Comment: 1.21 Dwers</p> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-007(...) | 09/13/2022 1:39 PM | Single-Line | 11 | 1 | 1.462 m | 0 | Metric | Snapshots | [Distance(m) Cover(mm) mm mm] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | | L: 1 | No. of Readings: 11 | No. of Readings: 10 | | [-0.037 20.4] | Median (mm): 21.7 | Median (mm): 142 | | [0.162 18.8] | Mean (mm): 23.2 | Mean (mm): 137 | | [0.308 20.6] | Standard Deviation (mm): 5.7 | Standard Deviation (mm): 32 | | [0.451 21.7] | Lowest (mm): 19 | Lowest (mm): 73 | | [0.524 40.9] | Highest (mm): 41 | Highest (mm): 198 | | [0.622 22.6] | Settings | | | [0.756 22.1] | Measuring Range | Standard (None) | | [0.914 22.3] | Rebar Diameter Ø1 Scan-X (mm) | 10 | | [1.060 21.7] | Rebar Diameter Ø2 Scan-Y (mm) | 10 | | [1.198 21.7] | Artificial Intelligence / Neighboring Rebar Correction | <input type="checkbox"/> | | [1.338 21.9] | Cover Calibration | <input type="checkbox"/> | | | Minimum Cover | <input checked="" type="checkbox"/> | | | Minimum Cover Value (mm) | 22 | | | Maximum Cover | <input type="checkbox"/> | | | Maximum Cover Value (mm) | - | | | Cover Offset | <input type="checkbox"/> | | | Cover Offset Value (mm) | - | | | Cover Calculation | Conservative (Underestimation) | | | Align Rebar Positions | - | | | Line Height (cm) | - | | | Grid Width (cm) | - | | | Probe Position | - | | | Scan Cart | Ruggedized | App. 3A – Onderzijde bovenliggend terras | 21/22 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-007(...) | 09/13/2022 1:39 PM | Single-Line | 11 | 1 | 1.462 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Snapshots | [Distance(m) Cover(mm) mm mm] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | L: 1 | No. of Readings: 11 | No. of Readings: 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [-0.037 20.4] | Median (mm): 21.7 | Median (mm): 142 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.162 18.8] | Mean (mm): 23.2 | Mean (mm): 137 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.308 20.6] | Standard Deviation (mm): 5.7 | Standard Deviation (mm): 32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.451 21.7] | Lowest (mm): 19 | Lowest (mm): 73 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.524 40.9] | Highest (mm): 41 | Highest (mm): 198 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.622 22.6] | Settings | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.756 22.1] | Measuring Range | Standard (None) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.914 22.3] | Rebar Diameter Ø1 Scan-X (mm) | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.060 21.7] | Rebar Diameter Ø2 Scan-Y (mm) | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.198 21.7] | Artificial Intelligence / Neighboring Rebar Correction | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [1.338 21.9] | Cover Calibration | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Minimum Cover | <input checked="" type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Minimum Cover Value (mm) | 22 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Maximum Cover | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Maximum Cover Value (mm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Cover Offset | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Cover Offset Value (mm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Cover Calculation | Conservative (Underestimation) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Align Rebar Positions | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Line Height (cm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Grid Width (cm) | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Probe Position | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Scan Cart | Ruggedized | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|--|-------------------------------|-----------------------------|-------|----------|-----------|----------|-----------|------|-----------------------|--------------------|-------------|---|---|---------|---|--------|-----------|---------------------------|-------------------------------|-----------------------------|------------|------|--------------------|--------------------|--|--------------|-------------------|------------------|--|--------------|-----------------|----------------|--|--------------|------------------------------|-----------------------------|--|--------------|-----------------|------------------|--|--------------|------------------|-------------------|--|--------------|--|--|--|-------|
| 1.21 | <div style="border: 1px solid #ccc; padding: 5px;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Name</th> <th>Date & Time</th> <th>Mode</th> <th>Rebars</th> <th>Lines</th> <th>Distance</th> <th>Snapshots</th> <th>Unit</th> </tr> </thead> <tbody> <tr> <td>La Maison Blanche-008</td> <td>09/13/2022 1:39 PM</td> <td>Single-Line</td> <td>6</td> <td>1</td> <td>0.966 m</td> <td>0</td> <td>Metric</td> </tr> </tbody> </table> <p>View: Single-Line Curve: Cover</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Snapshots</th> <th>[Distance(m) Cover(mm)]</th> <th>Statistics of Covers [Normal]</th> <th>Statistics of Rebar Spacing</th> </tr> </thead> <tbody> <tr> <td>(mm mm mm)</td> <td>L: 1</td> <td>No. of Readings: 6</td> <td>No. of Readings: 5</td> </tr> <tr> <td></td> <td>[0.024 42.7]</td> <td>Median (mm): 30.6</td> <td>Median (mm): 134</td> </tr> <tr> <td></td> <td>[0.158 30.9]</td> <td>Mean (mm): 33.3</td> <td>Mean (mm): 168</td> </tr> <tr> <td></td> <td>[0.286 42.6]</td> <td>Standard Deviation (mm): 6.8</td> <td>Standard Deviation (mm): 59</td> </tr> <tr> <td></td> <td>[0.387 30.3]</td> <td>Lowest (mm): 27</td> <td>Lowest (mm): 101</td> </tr> <tr> <td></td> <td>[0.628 26.7]</td> <td>Highest (mm): 43</td> <td>Highest (mm): 241</td> </tr> <tr> <td></td> <td>[0.865 26.8]</td> <td></td> <td></td> </tr> </tbody> </table> <p>Settings</p> <ul style="list-style-type: none"> Measuring Range: Standard (None) Rebar Diameter Ø1 Scan-X (mm): 10 Rebar Diameter Ø2 Scan-Y (mm): 10 Artificial Intelligence / Neighboring Rebar Correction: <input type="checkbox"/> Cover Calibration: <input type="checkbox"/> Minimum Cover: <input checked="" type="checkbox"/> Minimum Cover Value (mm): 22 Maximum Cover: <input type="checkbox"/> Maximum Cover Value (mm): - Cover Offset: <input type="checkbox"/> Cover Offset Value (mm): - Cover Calculation: Conservative (Underestimation) Align Rebar Positions: - Line Height (cm): - Grid Width (cm): - Probe Position: - Scan Cart: Ruggedized <p>Comment 1.21 Langs</p> <p>Device Info</p> </div> | Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | La Maison Blanche-008 | 09/13/2022 1:39 PM | Single-Line | 6 | 1 | 0.966 m | 0 | Metric | Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | (mm mm mm) | L: 1 | No. of Readings: 6 | No. of Readings: 5 | | [0.024 42.7] | Median (mm): 30.6 | Median (mm): 134 | | [0.158 30.9] | Mean (mm): 33.3 | Mean (mm): 168 | | [0.286 42.6] | Standard Deviation (mm): 6.8 | Standard Deviation (mm): 59 | | [0.387 30.3] | Lowest (mm): 27 | Lowest (mm): 101 | | [0.628 26.7] | Highest (mm): 43 | Highest (mm): 241 | | [0.865 26.8] | | | App. 3A – Onderzijde bovenliggend terras | 21/22 |
| Name | Date & Time | Mode | Rebars | Lines | Distance | Snapshots | Unit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| La Maison Blanche-008 | 09/13/2022 1:39 PM | Single-Line | 6 | 1 | 0.966 m | 0 | Metric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Snapshots | [Distance(m) Cover(mm)] | Statistics of Covers [Normal] | Statistics of Rebar Spacing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (mm mm mm) | L: 1 | No. of Readings: 6 | No. of Readings: 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.024 42.7] | Median (mm): 30.6 | Median (mm): 134 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.158 30.9] | Mean (mm): 33.3 | Mean (mm): 168 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.286 42.6] | Standard Deviation (mm): 6.8 | Standard Deviation (mm): 59 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.387 30.3] | Lowest (mm): 27 | Lowest (mm): 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.628 26.7] | Highest (mm): 43 | Highest (mm): 241 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | [0.865 26.8] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Fiche | Betondekking [mm] | Plaats | Carb. [mm] |
|-------|-----------------------------------|--------------------|------------|
| 1.22 | Geen detectie mogelijk op linteel | App. 3D – Linteeel | 41/31 |

5.2 BEPALING VAN HET CHLORIDENGELHALTE

| Proef LMB 1.03 A, B, C Fiche 1.03 Plaats App. 7A – onderzijde bovenliggend terras | | |
|---|-------------------------------|--------------------------------|
| Resultaten | % chloriden t.o.v. betonmassa | % chloriden t.o.v. cementmassa |
|  | | |
| | 0,027 | 0,26 |
| | 0,018 | 0,16 |
| | 0,009 | 0,07 |
| | | |

| Proef LMB 1.11 A, B, C Fiche 1.11 Plaats App. 5D – onderzijde bovenliggend terras | | |
|---|-------------------------------|--------------------------------|
| Resultaten | % chloriden t.o.v. betonmassa | % chloriden t.o.v. cementmassa |
|  | | |
| | 0,017 | 0,14 |
| | 0,021 | 0,16 |
| | 0,008 | 0,07 |
| | | |

| Proef LMB 1.18 A, B, C Fiche 1.18 Plaats App. 3D – onderzijde bovenliggend terras | | |
|---|-------------------------------|--------------------------------|
| Resultaten | % chloriden t.o.v. betonmassa | % chloriden t.o.v. cementmassa |
|  | 0,026 | 0,24 |
| | 0,020 | 0,16 |
| | 0,006 | 0,05 |
| | | |

| Proef | Fiche | Plaats | % chloriden t.o.v. betonmassa | % chloriden t.o.v. cementmassa |
|----------|-------|-------------------|-------------------------------|--------------------------------|
| MAG 1.04 | 1.04 | App. 7A - Linteel | 0,078 | 0,55 |
| MAG 1.15 | 1.15 | App. 5A - Linteel | 0,039 | 0,25 |
| MAG 1.22 | 1.22 | App. 3D - Linteel | 0,015 | 0,10 |

Zie ook het laboverslag in bijlage 2.

6 ANALYSE EN BESLUITEN


We beoordelen de vaststellingen aan de hand van enkele schadefenomenen.

Carbonatatie

Ter informatie geven we vooraf een beknopte beschrijving van het carbonatatiefenomeen:

Carbonatatie is een veel voorkomende oorzaak van degradatie van betonoppervlakken.

Het koolstofdioxide (CO₂) uit de buitenlucht dringt via de normale openingen van het beton (poriën, scheuren, grindnesten,...) binnen en reageert er met de vrije kalk (Ca(OH)₂) die steeds aanwezig is in het beton.



Het betonstaal roest niet zolang het door Ca(OH)₂ in een sterk basisch midden wordt gehouden met een pH-waarde van ongeveer 13. Als Ca(OH)₂ omgezet wordt in CaCO₃, daalt de pH tot waarden onder 9.

Zodra het carbonatatiefront de wapening bereikt, daalt de pH-waarde van het beton er rond tot in een basisch neutrale zone en is de alkaliteit van dit beton sterk verzwakt.

De belangrijkste voorwaarde voor roestvorming is aldus aanwezig.

Fenolftaleïne-oplossing is een chemische kleurindicator die paars-roze kleurt als de pH-waarde van het beton meer dan 9 bedraagt. Deze alkaliteit duidt dus op niet-gecarbonateerd beton.

Uit de metingen van de diepte van het carbonatatiefront blijkt dat deze algemeen vrij groot is (± 30 tot 50mm). De betondekking daarentegen is eerder klein (<30mm). Hierdoor bevindt het overgrote deel van de wapening zich in het gecarbonateerde beton (aangeduid in rood op bovenstaande grafieken) waardoor ze niet meer beschermd is tegen corrosie. Er wordt dan ook verspreid zichtbare betonschade vastgesteld.

Chloriden

Een tweede mogelijke oorzaak van corrosie van wapening is de aanwezigheid van chloriden in het beton. Ze kunnen tijdens het mengen toegevoegd zijn (als bindingsversneller ter voorkoming van vorstschade, gebruik van zeewater, gebruik van met chloriden verontreinigde granulaten, ...) of van buitenaf in het beton dringen via bijvoorbeeld dooizouten of blootstelling aan zeeklimaat. Chloridenionen hebben de eigenschap in de gepassiveerde laag rond de wapening door te dringen en daardoor plaatselijk corrosie op te wekken. Deze vorm van corrosie wordt ook putcorrosie of "pitting" genoemd. Dit is een putvormige corrosie die zeer gelokaliseerd is, doch zeer hevig kan zijn en tot breuk van de wapening kan leiden zonder dat hierbij veel corrosieproducten gevormd worden, zodat hier veelal de waarschuwendende werking van afspringende betondekking en/of scheuren achterwege blijft.

De literatuur leert ons dat er geen veilige grens voor de chloridenconcentratie, waaronder geen corrosie optreedt, bestaat. Ieder spoor ervan kan in bepaalde omstandigheden van aanwezigheid van water en zuurstof staalcorrosie geven. Chloriden zijn dus absoluut te weren uit beton, aangezien zij belangrijke schade (putcorrosie) kunnen veroorzaken aan de wapening van het beton. Zoals hiervoor reeds verduidelijkt, is putcorrosie een ernstige en gevaarlijke vorm van corrosie waarbij de waarschuwendende werking van afspringende betondekking en/of scheuren vaak achterwege blijft.


Daarenboven is de reparatie van betonschade, veroorzaakt door chloriden zeer ingrijpend en duur.

Normaliter wordt het corrosiegevaar in functie van het chloridengehalte (ingedrongen chloriden) als volgt geïnterpreteerd:

| % Cl ⁻ (ingemengd) t.o.v. de betonmassa | % Cl ⁻ (ingemengd) t.o.v. de cementmassa | % Cl ⁻ (ingedrongen) t.o.v. de betonmassa | % Cl ⁻ (ingedrongen) t.o.v. de cementmassa | Corrosie- gevaar |
|--|---|--|---|---------------------|
| <0,075 | <0,6 | <0,05 | <0,4 | Klein |
| 0,075 – 0,125 | 0,6 – 1,0 | 0,05 – 0,125 | 0,4 – 1,0 | Matig |
| >0,125 | >1,0 | >0,125 | >1,0 | Hoog |

De evaluatie van de analyse van de stalen t.o.v. bovenvermeld corrosiegevaar geeft volgend resultaat:

| Proef LMB 1.03 A, B, C Fiche 1.03 Plaats App. 7A – onderzijde bovenliggend terras | | |
|---|-------------------------------|--------------------------------|
| Resultaten | % chloriden t.o.v. betonmassa | % chloriden t.o.v. cementmassa |
|  | | |
| | 0,027 | 0,26 |
| | 0,018 | 0,16 |
| | 0,009 | 0,07 |
| | | |

| Proef LMB 1.11 A, B, C Fiche 1.11 Plaats App. 5D – onderzijde bovenliggend terras | | |
|---|-------------------------------|--------------------------------|
| Resultaten | % chloriden t.o.v. betonmassa | % chloriden t.o.v. cementmassa |
|  | | |
| | 0,017 | 0,14 |
| | 0,021 | 0,16 |
| | 0,008 | 0,07 |
| | | |

| Proef LMB 1.18 A, B, C Fiche 1.18 Plaats App. 3D – onderzijde bovenliggend terras | | |
|---|-------------------------------|--------------------------------|
| Resultaten | % chloriden t.o.v. betonmassa | % chloriden t.o.v. cementmassa |
|  | | |
| | 0,026 | 0,24 |
| | 0,020 | 0,16 |
| | 0,006 | 0,05 |
| | | |

| Proef | Fiche | Plaats | % chloriden t.o.v. betonmassa | % chloriden t.o.v. cementmassa |
|----------|-------|-------------------|-------------------------------|--------------------------------|
| MAG 1.04 | 1.04 | App. 7A - Linteel | 0,078 | 0,55 |
| MAG 1.15 | 1.15 | App. 5A - Linteel | 0,039 | 0,25 |
| MAG 1.22 | 1.22 | App. 3D - Linteel | 0,015 | 0,10 |

Eén kern, ontnomen aan een linteel, vertoont een chlorideprofiel waaruit een matig risico op wapeningscorrosie blijkt. De andere stalen (lintelen en terrassen) vertonen een chloridegehalte waarbij het risico als laag kan beschouwd worden.

Algemene evaluatie

Globaal kunnen we stellen dat aan verschillende betonnen elementen aan de achtergevel (voornamelijk de onderzijde van de terrassen) momenteel reeds betonschade voorkomt. Uit het onderzoek blijkt dat we bijkomende schade op andere plaatsen kunnen verwachten door enerzijds de grote carbonatatie diepte en de algemeen kleine betondekking.

De mate waarin de corrosie zal optreden hangt ook af van de mate waarin vocht of water(damp) tot bij de wapening kan indringen. In die zin is het van belang dat de terrassen waterdicht zijn. De terrassen zijn voorzien van een vloercoating. Een dergelijke coating kan niet beschouwd worden als een echte waterdichting. Er worden evenwel geen sporen van infiltraties vastgesteld aan de terrassen. Door de omsloten ligging in een binnenkoer is de blootstelling aan neerslag vermoedelijk eerder beperkt, zeker op de lagere verdiepingen.

Vocht kan ook onder de vorm van waterdamp (luchtvochtigheid) in het beton dringen. Om dit te verhinderen raden we aan om een beton beschermende en carbonatatiereemmende coating op de betonnen onderdelen (vb. onderzijde terrassen) aan te brengen.

Het chloridgehalte in het beton is vrij beperkt en slechts op één plaats werd een verhoogde concentratie aangetroffen. Gezien de ligging aan de kust bestaat er echter een permanente blootstelling aan chloriden waardoor dit toch een aandachtspunt blijft. Mogelijk draagt de omsloten ligging hier ook ertoe bij dat de chloridenindringing beperkt blijft.

Op basis van de vastgestelde chloridenconcentraties zouden klassieke betonherstellingen kunnen worden uitgevoerd zonder verdere voorzorgsmaatregelen i.f.v. chloriden. Door de directe ligging aan de kust is het aanbrengen van offeranodes bij het uitvoeren van betonherstellingen toch te overwegen uit voorzorgsprincipe.

In geval van de aanwezigheid van chloriden in het beton kan het gewoon herstellen van het beton (zelfs als die uitvoerig en verzorgd gebeurt) immers zeer snel leiden tot het ontstaan van herstelcorrosie in de naastliggende zone (binnen de 10 jaar). De risico's zijn eigen aan het project en hangen ook af van de herstelmethode. Zie ook de samenvatting hiernaast uit "Aanbeveling behandeling chlorideschade" (FEREB april 2011).

| Chloridgehalte (m/m _{cement}) t.h.v. wapening | Behandeling ² | Principes NBN EN1504-9 |
|---|--|---|
| < 0,2% (spanbeton) | Klassieke betonherstelling | Principe 3 |
| < 0,4% (gewapend beton) | Preventieve toepassingen: Elastische coating/Impregneren | Principes 1, 2, 6 |
| 0,4 – 1% (lichte plaatselijke corrosie) | Klassieke betonherstelling Lokale offeranodes Preventieve toepassingen: Elastische coating/Impregneren Kathodische bescherming (globaal) | Principe 3 Principe 10 Principes 1, 2, 6 Principe 10 |
| 1 – 2% (ernstige, maar lokale corrosie) | Klassieke betonherstelling inclusief spuitbeton of spuitmortel (buffer) vervangen van te sterk aangetaste zones Offeranodes (globaal) Kathodisch beschermingssysteem met opgelegde stroom Preventieve toepassingen: Elastische coating/Impregneren | Principe 3 3.3 3.4 Principe 10 Principe 10 Principes 1, 2, 6 |
| >2% (ernstige globale corrosie; stabiliteitsrisico) | Globaal Kathodisch beschermingssysteem met opgelegde stroom met offeranodes <i>Een dergelijk systeem vereist een aangepast ontwerp en een deskundige uitvoering. Het systeem kan enkel worden toegepast wanneer de constructie nog niet te sterk is aangetast.</i> Structurele versterking (in geval stabiliteitsproblemen) Sloop | Principe 10 Principe 4 / |

In het kader van renovatie of herstelling raden we aan om het beton te beschermen om indringen van vocht en CO₂ en het verder indringen van chloriden te verhinderen.

Om een duurzame betonherstelling te bekomen raden we aan om beroep te doen op aannemers die gecertificeerd zijn voor de manuele herstelling van gecarbonateerd beton volgens de normen NBN EN 1504. Het is eveneens aangewezen om de herstellingen uit te voeren met hydraulische herstelmortels die beschikken over een BENOR-certificaat.

De gebruikte producten (herstelmortels, egalisatiemortels, betonbeschermingssystemen, ...) evenals de herstellwijze moeten conform zijn aan de normen NBN EN 1504 (delen 1 tot 10).

Principebeschrijving voor de herstelling van betonschade veroorzaakt door corrosie van de wapening in gecarbonateerd beton

Wanneer betonherstellingen uitgevoerd worden dienen volgende richtlijnen in acht genomen te worden om tot een duurzaam resultaat te komen.

Herstelprincipes klassieke betonschade:

- A. Het afhameren van de oppervlakken teneinde alle hol klinkende plaatsen of beton met slechte mechanische kwaliteit (loszittend, afgebrokkeld, gedesintegreerd...) te kunnen lokaliseren.

- B. Het afbikken van de betonoppervlakken met een luchtdrukhamer totdat men "gezond" en homogeen beton bereikt. In dit opzicht moet worden nagegaan of de kwaliteit van het beton (pH en carbonatatiestaat) van dien aard is dat ze de aanwezige wapeningen kan beschermen. In principe herkent men niet-gecarbonateerde zones aan hun paarse verkleuring als een fenolftaleïne-oplossing op de betreffende zone gespreid wordt. Op de werf dient dan ook steeds een verstuiver gevuld met een fenolftaleïne-oplossing aanwezig te zijn.
Het beton dient zodanig weggekapt te worden dat abrupte overgangen in dikte van de aan te brengen laag herstellmortel worden vermeden.

- C. Het rondom vrijhakken van het gecorrodeerde wapeningsstaal (ook de achterzijde en dit tot in het niet-gecarbonateerde beton, met tussen de achterkant van de staaf en het beton minimum 1 cm ruimte) tot 5 cm voorbij de roestgrens.
De randen van de te herstellen zones dienen haaks ingezaagd of ingehakt te worden tot tenminste 10mm diepte om te voorkomen dat er op "nul" geëindigd wordt.

- D. De vrijgekomen wapeningen worden degelijk ontroest tot reinigingsgraad Sa 2 1/2 (blinkend gestraald). Aan het einde van deze operatie dienen de niet-hechtende deeltjes zoals stof, kruimelig roest e.d. steeds verwijderd te worden. Het schoonblazen van het gereinigde oppervlak gebeurt met olievrije perslucht. Indien nodig dienen aangetaste wapeningsstaven vervangen te worden of dient er wapening bijgelegd te worden.

- E. Het behandelen van al het vrijgekomen en droog wapeningsstaal met een roestwerend product. Het roestwerend product dient goed aan te sluiten op het omliggende beton en dient compatibel te zijn met het reparatiesysteem.

- F. Afhankelijk van het gebruikte reparatiesysteem, het voorbevochtigen van de te herstellen oppervlakken of het behandelen met een hechtprimer. In het geval van voorbevochtiging moet het te herstellen oppervlak vochtig zijn, zonder evenwel glanzend nat te zijn (geen waterfilm aan het oppervlak). In het geval van behandeling met een primer, dient deze aangepast te zijn aan de drager en de droogheid ervan.
- G. Het repareren met een hydraulische betonherstelmortel die beschikt over het BENOR-merk. De reparatie wordt goed aangedrukt, zodat er geen holtes blijven, inzonderheid rond de wapening. De maximale laagdikte van de herstelmortel die per arbeidsgang mag aangebracht worden (vermeld in de technische fiches van de mortel) dient strikt gerespecteerd te worden. Op plaatsen waar over grotere dikte dient te worden hersteld dient gebruik gemaakt te worden van een gietbare herstelmortel die beschikt over het BENOR-merk. De uitvoering (bekisting, menging, ...) dient conform te zijn aan de richtlijnen van de fabrikant. De betonherstellingen worden bij voorkeur uitgevoerd door een gespecialiseerde firma die gecertificeerd is voor de manuele herstelling van gecarbonateerd beton (conform de normenreeks NBN EN 1504).
- H. Indien nodig het plaatselijk aanbrengen van een egaliseermortel om een geschikt aspect te bekomen voor het eventueel aanbrengen van een beschermingssysteem en om een bijkomende betondekking te bekomen in zones waar deze te klein is. Deze mortel dient te beschikken over het BENOR-merk en dient compatibel te zijn met het betonherstellingssysteem. Het doel ervan is om een aspect te bekomen dat zo goed mogelijk gelijk op het aspect van de niet beschadigde betonnen delen. De herstelmortel waarop de egaliseermortel wordt aangebracht dient getextueerd te worden. Tevens dienen de richtlijnen van de fabrikant opgevolgd te worden (voorbereiding ondergrond, ouderdom herstelmortel, vochtigheid ondergrond, ...).
- I. Het aanbrengen van een betonbeschermingssysteem (coating conform NBN EN 1504-2) op de betonnen delen na de herstellingen. Dit komt sowieso de duurzaamheid van de constructie ten goede. Kleine scheurvorming wordt overbrugd en de constructie wordt op die manier veel beter beschermd tegen de invloeden van buitenaf (carbonatatie, bevochtiging, eventuele chemische invloeden, ...). Naast dit technisch aspect, heeft het aanbrengen van een coating tevens een esthetisch aspect. Zonder het aanbrengen van een coating zullen de betonherstellingen immers veel meer zichtbaar blijven (kleurverschil, verschil in textuur, ...).

Rapport Res. La Maison Blanche - 12-09-22


Project: Residentie La Maison Blanche

Werfadres:

1.01 Titel: **Algemeen**
Lijst: Betononderzoek achtergevel
Status: **Andere**
Subcategorie: Algemeen / Algemene beschrijving
Lokaal: Achtergevel / app. 7A

Algemeen

Het betreft een ter plaatse gestort betonnen terras (+/-1,70m x 1,00m) voorzien van dekstenen aan de randen en afgewerkt met een chape die voorzien is van een vloercoating. De onderzijde van het bovenliggend terras is onbehandeld. Het terras is voorzien van een stalen borstwering met een hoogte van 105cm. De borstwering vertoont ernstige corrosie en de geometrie beantwoordt niet aan de huidige normen.



1.02 Titel: **Betonschade (algemeen)**
Lijst: Betononderzoek achtergevel
Status: **Betonschade**
Subcategorie: Beton/Metselwerk / Stabiliteit/Integriteit
Lokaal: Achtergevel / app. 7A

Betonschade (algemeen)

Er wordt een loskomende betonschil vastgesteld aan de rand van het bovenliggend terras. Tevens worden roestsporen vastgesteld t.p.v. de ligging van de wapening. Deze zijn hoogstwaarschijnlijk veroorzaakt door afdrukken van de wapening op de bekisting. Loshangende schil weggenomen.



1.03 Titel: **Betondekking + carbonatatie + chloridgehalte**
 Lijst: Betononderzoek achtergevel
 Status: **Staalname**
 Subcategorie: Beton/Metselwerk / Staalname
 Lokaal: Achtergevel / app. 7A

Betondekking + carbonatatie + chloridgehalte

Onderzijde bovenliggend terras. Car 32mm



1.04 Titel: **Betondekking + carbonatatie + chloridgehalte**
Lijst: Betononderzoek achtergevel
Status: Staalname
Subcategorie: Beton/Metselwerk / Staalname
Lokaal: Achtergevel / app. 7A

Betondekking + carbonatatie + chloridgehalte


Linteel. Car 47/51. Boorgaten hersteld.



1.05 Titel: **Algemeen**
Lijst: Betononderzoek achtergevel
Status: **Andere**
Subcategorie: Algemeen / Algemene beschrijving
Lokaal: Achtergevel / app. 7D

Algemeen

Het betreft een ter plaatse gestort betonnen terras (+/-4,20m x 1,00m) voorzien van een betegeling. De onderzijde van het bovenliggend terras is onbehandeld. Het terras is voorzien van een stalen borstwering met een hoogte van 95cm. De borstwering vertoont corrosie en de geometrie beantwoordt niet aan de huidige normen.



- 1.06 Titel: **Betonschade (algemeen)**
Lijst: Betononderzoek achtergevel
Status: **Betonschade**
Subcategorie: Beton/Metselwerk / Stabiliteit/Integriteit
Lokaal: Achtergevel / app. 7D

Betonschade (algemeen)


Het linteel boven de bergingdeur vertoont een scheur.



- 1.07 Titel: **Geen zichtbare betonschade**
Lijst: Betononderzoek achtergevel
Status: **Geen opmerking**
Subcategorie: Beton/Metselwerk / Stabiliteit/Integriteit
Lokaal: Achtergevel / app. 7D

Geen zichtbare betonschade


Er wordt geen betonschade vastgesteld aan de onderzijde van het bovenliggend terras. Er zijn enkel roestsporen zichtbaar t.p.v. de wapening, maar deze zijn hoogstwaarschijnlijk te wijten aan afdrukken van de wapening op de bekisting.



1.08 Titel: **Betondekking + carbonatatie**
Lijst: Betononderzoek achtergevel
Status: Staalname
Subcategorie: Beton/Metselwerk / Staalname
Lokaal: Achtergevel / app. 7D

Betondekking + carbonatatie

Onderzijde bovenliggend terras. Car 25/27. Boorgaten hersteld.




1.09 Titel: **Algemeen**
Lijst: **Betononderzoek achtergevel**
Status: **Andere**
Subcategorie: Algemeen / Algemene beschrijving
Lokaal: Achtergevel / app. 5D

Algemeen

Het betreft een ter plaatse gestort betonnen terras (+/-4,20m x 1,00m) voorzien van dekstenen aan de randen en afgewerkt met een chape die voorzien is van een vloercoating. Op het terras is een groen tapijt aangebracht.

De onderzijde van het bovenliggend terras is onbehandeld.

Het terras is voorzien van een aluminium borstwering met een hoogte van 95cm.



- 1.10 Titel: **Betonschade (algemeen)**
Lijst: Betononderzoek achtergevel
Status: **Betonschade**
Subcategorie: Beton/Metselwerk / Stabiliteit/Integriteit
Lokaal: Achtergevel / app. 5D

Betonschade (algemeen)

Verskillende loskomende betonschil aan onderzijde bovenliggend terras. Loshangende schillen verwijderd.



- 1.11 Titel: **Betondekking + carbonatatie + chloridgehalte**
Lijst: Betononderzoek achtergevel
Status: **Staalname**
Subcategorie: Beton/Metselwerk / Staalname
Lokaal: Achtergevel / app. 5D

Betondekking + carbonatatie + chloridgehalte

Onderzijde bovenliggend terras. Car 30




1.12 Titel: **Algemeen**
Lijst: **Betononderzoek achtergevel**
Status: **Andere**
Subcategorie: Algemeen / Algemene beschrijving
Lokaal: Achtergevel / app. 5A

Algemeen

Het betreft een ter plaatse gestort betonnen terras (+/-1,70m x 1,00m) voorzien van dekstenen aan de randen en afgewerkt met een chape die voorzien is van een vloercoating. Op het terras is een houten vloerbekleding aangebracht.

De onderzijde van het bovenliggend terras is voorzien van een witte verf die afbladdert.

Het terras is voorzien van een stalen borstwering met een hoogte van 95cm. De borstwering vertoont oppervlakkige corrosie.



- 1.13 Titel: **Scheuren**
Lijst: Betononderzoek achtergevel
Status: **Betonschade**
Subcategorie: Beton/Metselwerk / Stabiliteit/Integriteit
Lokaal: Achtergevel / app. 5A

Scheuren

Er wordt scheurvorming in de onderzijde van het bovenliggend terras vastgesteld.



- 1.14 Titel: **Betondekking + carbonatatie**
Lijst: Betononderzoek achtergevel
Status: **Staalname**
Subcategorie: Beton/Metselwerk / Staalname
Lokaal: Achtergevel / app. 5A

Betondekking + carbonatatie

Onderzijde bovenliggend terras. Car 42/35. Boorgaten hersteld.



1.15 Titel: **Carbonatatie + chloridegehalte**
Lijst: Betononderzoek achtergevel
Status: **Staalname**
Subcategorie: Beton/Metselwerk / Staalname
Lokaal: Achtergevel / app. 5A

Carbonatatie + chloridegehalte


Linteel. Car 41/42. Boorgaten hersteld.



1.16 Titel: **Algemeen**
Lijst: **Betononderzoek achtergevel**
Status: **Andere**
Subcategorie: Algemeen / Algemene beschrijving
Lokaal: **Achtergevel / app. 3D**

Algemeen

Het betreft een ter plaatse gestort betonnen terras (+/-4,20m x 1,00m) voorzien van dekstenen aan de randen en afgewerkt met een chape die voorzien is van een vloercoating.
De onderzijde van het bovenliggend terras is onbehandeld.
Het terras is voorzien van een aluminium borstwering met een hoogte van 95cm.



- 1.17 Titel: **Betonschade (algemeen)**
Lijst: Betononderzoek achtergevel
Status: **Betonschade**
Subcategorie: Beton/Metselwerk / Stabiliteit/Integriteit
Lokaal: Achtergevel / app. 3D

Betonschade (algemeen)

Loskomende betonschil aan onderzijde bovenliggend terras. Loskomende betonschil hangt nog te vast om met de hand te verwijderen.



- 1.18 Titel: **Betondekking + carbonatatie + chloridgehalte**
Lijst: Betononderzoek achtergevel
Status: **Staalname**
Subcategorie: Beton/Metselwerk / Staalname
Lokaal: Achtergevel / app. 3D

Betondekking + carbonatatie + chloridgehalte


Onderzijde bovenliggend terras. Car 23mm



1.19 Titel: **Algemeen**
Lijst: **Betononderzoek achtergevel**
Status: **Andere**
Subcategorie: **Algemeen / Algemene beschrijving**
Lokaal: **Achtergevel / app. 3A**

Algemeen


Het betreft een ter plaatse gestort betonnen terras (+/-1,70m x 1,00m) voorzien van dekstenen aan de randen en afgewerkt met een chape die voorzien is van een vloercoating.
De onderzijde van het bovenliggend terras is onbehandeld.
Het terras is voorzien van een aluminium borstwering met een hoogte van 90cm.



1.20 Titel: **Geen zichtbare betonschade**
Lijst: Betononderzoek achtergevel
Status: **Geen opmerking**
Subcategorie: Beton/Metselwerk / Stabiliteit/Integriteit
Lokaal: Achtergevel / app. 3A

Geen zichtbare betonschade


Onderzijde bovenliggend terras



1.21 Titel: **Betondekking + carbonatatie**
Lijst: Betononderzoek achtergevel
Status: **Staalname**
Subcategorie: Beton/Metselwerk / Staalname
Lokaal: Achtergevel / app. 3A

Betondekking + carbonatatie

Onderzijde bovenliggend terras. Car 21/22. Boorgaten hersteld.



1.22 Titel: **Carbonatatie + chloridegehalte**
Lijst: Betononderzoek achtergevel
Status: **Staalname**
Subcategorie: Beton/Metselwerk / Staalname
Lokaal: Achtergevel / app. 3A

Carbonatatie + chloridegehalte

Linteel. Car 41/31. Boorgaten hersteld.

